


ENVIRONMENTAL
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environment Single-Window Hub)



Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The Director

M/S PASUPATI ACRYLON LTD.

M/s Pasupati Acrylon Ltd., Kashipur Road, Thakurdwara, Moradabad, Uttar Pradesh,,Moradabad,Uttar Pradesh-244601

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/UP/IND2/417651/2023 dated 11 Feb 2023. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|---|
| 1. EC Identification No. | EC23A022UP145695 |
| 2. File No. | IA-J-11011/66/2023-IA-II(I) |
| 3. Project Type | New |
| 4. Category | A |
| 5. Project/Activity including Schedule No. | 5(g) Distilleries |
| 6. Name of Project | Greenfield Project of 300 KLD Grain Based Ethanol Plant along with 6 MW Co-generation Power Plant located at Plot No. 140, 142B,153, 181, 183min Village-Mohammad Ganj, Tehsil- Thakurdwara, Dist.- Moradabad, Uttar Pradesh by M/s Pasupati Acrylon Limited. |
| 7. Name of Company/Organization | M/S PASUPATI ACRYLON LTD. |
| 8. Location of Project | Uttar Pradesh |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 03/04/2023

(e-signed)
A N Singh
Scientist E
IA - (Industrial Projects - 2 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

This has reference to your online proposal no. IA/UP/IND2/417651/2023 dated 11th February, 2023 for environmental clearance to the above-mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal seeking environmental clearance for establishment of 300 KLD Grain Based Ethanol Plant along with 6 MW Co-generation Power Plant located at Plot No. 140, 142B, 153, (181) 183 min, Village- Mohammad Ganj, Tehsil-Thakurdwara, Dist.- Moradabad, Uttar Pradesh by M/s. Pasupati Acrylon Limited.

3. It may be noted that Ministry has already granted EC vide EC Identification No EC22A060UP132849 letter dated 31.08.2022 for setting up of 150 KLPD Grain based Ethanol Plant & 4.0 MW Co-generation power plant (Biomass Based) for the same proposed site. PP has informed that Industry is planning to go for 300 KLPD distillery and 6 MW cogen power plant instead of 150 KLPD and 4 MW cogen power plant. Therefore, PP has submitted application for surrendering existing EC Identification No EC22A060UP132849 letter dated 31.08.2022. PP also mentioned that they have not yet started construction of project. Accordingly, Committee suggested to consider the instant proposal for enhanced capacities of 300 KLPD and 6 MW cogen power plant superseding earlier EC granted. Accordingly Ministry agreed to consider the request of the PP as per OM dated 29th March 2022 and EC dated 31.08.2022 issued to M/s. Pasupati Acrylon Limited became infructuous. The EC granted for establishment of 300 KLPD distillery and 6 MW cogen power plant to M/s. Pasupati Acrylon Limited will be in effect and supersede the existing EC letter no. EC22A060UP132849 letter dated 31.08.2022.

4. As per the MoEF&CC Notification S.O. 2339(E), dated 16th June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme.

5. The details of products and capacity as under:

S. No.	Name of Unit	Name of the product /by-product	Production capacity
1	Distillery	Ethanol	300 KLPD
2	Co-generation power plant	Power	6 MW
3	DWGS dryer	DDGS	130 TPD
4	Fermentation unit	Carbon di-oxide	225 TPD

6. Standard ToR and Public Hearing is not applicable as the project falls under category B2 as per OM dated 16th June, 2021. It was informed that there is no litigation is pending against the project.

7. Total land area required is 8.09 hectares. Greenbelt will be developed in total area of 2.77 hectares i.e., 34.25% of total project area. The estimated project cost is INR Rs. 240 Crores. Capital cost of EMP would be INR Rs. 40.0 Crores and recurring cost for EMP would be INR Rs. 8.5 Crores per annum. Industry proposes to allocate Rs. 2.40 Crores towards Extended EMP (Corporate Environment Responsibility). Total Employment will be 160 persons as direct & indirect.

8. There are no national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance. The RFs in the study area are as: Tumaria Ravines RF (4.1 km, N), Sheorajpur RF (7.5 km, N), Jaspur RF (9.5 km, N). Water bodies: Dhandhi River is at a distance of 0.01 Km in N direction. Tumaria Nadi is at a distance of 1.2 km in N direction, Dhela River is at a distance of 2.4 km in SE direction from the project site, Nachna Nala is at distance of 2.5 km in East direction, Pachhana Nala is at a distance of 2.7 km in East Direction, Lapkana Nala is at a distance of 6.7 km in West Direction, Jabdi Nala is at a distance of 7.9 km in West Direction. The flood NOC vide letter no. 1508 dated 19.07.2022 has been obtained from Afzalgarh Irrigation Section.

9. AAQ modeling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 0.14 $\mu\text{g}/\text{m}^3$, 0.05 $\mu\text{g}/\text{m}^3$, 1.67 $\mu\text{g}/\text{m}^3$, 0.84 $\mu\text{g}/\text{m}^3$ and 0.31 $\mu\text{g}/\text{m}^3$ with respect to PM₁₀, PM_{2.5}, SO₂, NO₂ and CO. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

10. Total fresh water requirement including CPP will be 1200 KLD which will be met from Ground water. The permission for withdrawal of ground water has obtained from Uttar Pradesh Ground Water Department vide No. MRBDD422NIN0135 and MRBD0422NIN0136 dated 29.04.2022. Effluent (Condensate/spent lees/blowdown etc.) of 1220 KLD quantity will be treated through Condensate Polishing Unit/Effluent Treatment Plant of capacity 1500 KLD. Raw stillage will be sent to decanter followed by MEE and dryer to produce DDGS. STP capacity of 20 KLD will be installed to treat sewage generated from factory premises. The plant will be based on Zero Liquid discharge system and no effluent/treated water will be discharged outside factory premises.

11. Power requirement will be 6 MW and will be met from proposed 6 MW cogeneration power plant. Stack height of 60 m will be installed in 50 TPH Coal based/Biomass boiler for controlling the particulate emissions within the statutory

limit of 30 mg/Nm³. 500 kVA DG set will be used as standby during power failure and stack height (30 m) will be provided as per CPCB norms to the proposed DG sets.

12. Details of Process emissions generation and its management:

- Online Continuous Emission Monitoring System will be installed with the stack and data will be transmitted to CPCB/SPCB servers.
- Stack height of 60 meters will be installed for controlling the particulate emissions from DG Set.
- CO₂ (225 TPD) generated during the fermentation process will be collected by utilizing CO₂ scrubbers and it shall be sold to authorized vendors/collected in proposed bottling plant.

13. Details of solid waste/Hazardous waste generation and its management:

- DDGS (Distilled Dried Grains Stillage) (130 TPD) will be sold as cattle feed/fish feed/ prawn feed.
- Boiler ash (70 TPD) will be used for brick manufacturing in proposed brick manufacturing plant.
- Used oil (2 Kilolitres per annum) will be sold to authorized re-cycler.
- ETP sludge (0.12 TPD) and STP Sludge (0.00273 TPD) will be used as manure.

14. As per Notification S.O 2339(E), dated 16th June, 2021, PP has submitted self- certification in the form of notarized affidavit declaring that the proposed capacity of 300 KLPD will be used for manufacturing fuel ethanol only.

15. Total land is 8.09 Hectare, and and the Land is taken under lease by M/s. Pasupati Acrylon Limited. EAC found the response satisfactory.

16. During deliberations, EAC discussed following issues:

- EAC noted that Ministry has already granted EC vide EC Identification No EC22A060UP132849 letter dated 31.08.2022 for setting up of 150 KLPD Grain based Ethanol Plant & 4.0 MW Co-generation power plant (Biomass Based) for the same proposed site. PP has informed that Industry is planning to go for 300 KLPD distillery and 6 MW cogen power plant instead of 150 KLPD and 4 MW cogen power plant. Therefore, PP has submitted application for surrendering existing EC Identification No EC22A060UP132849 letter dated 31.08.2022. Accordingly, Committee suggested to consider the instant proposal for enhanced capacities of 300

- KLPD and 6 MW cogen power plant superseding earlier EC granted.
- PP shall submit measures that shall be taken to mitigate NO_x and SO₂ emissions along budgetary allocation in EMP.
 - PP shall reduce net fresh water requirement to 4 kL/kL of Ethanol produced for distillery unit.
 - Existing trees in the proposed plot shall be retained.
 - No treated/ untreated effluent shall be discharged into the Dhandhi River. 20 m thick green belt buffer should be provided towards the Dhandhi River.
 - PP shall revise the capital and recurring cost of EMP as suggested by EAC.

The committee was satisfied with the response provided by PP on above information.

17. The proposal was considered by the EAC meeting ID: IA/IND2/13448/23/02/2023) held on 23rd February, 2023 in the Ministry, wherein the project proponent and the accredited Consultant M/s. GRC India Pvt. Ltd. (NABET certificate no. NABET/EIA/2124/RA0213 and valid till 15.02.2024), presented the case. The Committee **recommended** the project for grant of environmental clearance.

18. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

19. The Committee noted that the EMP report is in compliance of the PFR. The Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

20. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/

Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

21. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Greenfield Project of 300 KLD Grain Based Ethanol Plant along with 6 MW Co-generation Power Plant located at Plot No. 140, 142B,153, 181, 183min, Village- Mohammad Ganj, Tehsil-Thakurdwara, Dist.- Moradabad, Uttar Pradesh by M/s. Pasupati Acrylon Limited**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Condition:

- (i). As per the Notification S.O. 2339(E), dated 16th June, 2021, project falls in category B2 and the proposed capacity of 300 KLPD shall only be used for fuel ethanol manufacturing as per self-certification in form of a notarized affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.
- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented as per proposed in Annexure-I.
- (iii). PP shall ensure that no treated/ untreated effluent shall be discharged into the Dhandhi River. RCC wall alongwith 20 m thick green belt buffer should be provided towards the Dhandhi River.
- (iv). EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project. Conversion of land use (CLU) certificate shall be obtained before start of construction activities.

- (v). NOC from the Central Ground Water Authority (CGWA)/ Concerned Local authority shall be obtained before start of the construction of plant and drawing of the ground water for the project activities. State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission. No ground water shall be used for the plant operations.
- (vi). Total fresh water requirement shall not exceed 1200 m³/day, which will be sourced from ground water. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- (vii). Spent Wash/stillage shall be sent to the decanter followed by the Multiple Effect Evaporator and dryer to form DDGS. DDGS to be used as cattle feed. The MEE & Drier condensate, spent lees, WTP Rejects, Boiler & Cooling tower blowdowns, washings etc., is shall be treated in the 'Condensate Polishing Unit' (CPU). STP shall be installed to treat domestic wastewater. The plant shall be based on 'Zero Liquid Discharge' system and no effluent/treated water shall be discharged outside factory premises.
- (viii). ESP (five fields) with a stack height of 60 meters will be installed with the 50 TPH biomass /Coal fired boiler for controlling the particulate emissions within the statutory limit of 30 mg/Nm³. SO₂ and NO_x emissions shall be less than 100 mg/Nm³. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually.
- (ix). Boiler ash (70 TPD) will be used for brick manufacturing in proposed brick manufacturing plant. PP shall use biomass like rice husk/bagasse as fuel for the proposed boiler. Low sulphur coal with maximum sulphur content of 0.5% shall only be used. PP shall meet 15% of the total power requirement from solar power by generating power inside plant premises/adjacent/nearby areas. Approach to the project site to the nearest highway will be maintained by the Industry.

- (x). CO₂ (225 TPD) generated during the fermentation process is being/will be collected by utilizing CO₂ scrubbers and it shall be collected in proposed bottling plant.
- (xi). PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (xii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (xiii). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms. PESO certificate shall be obtained.
- (xiv). Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (xv). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xvi). The green belt of at least 5-10 m width shall be developed in 2.77 hectares i.e., 34.25 % of total project area with tree density @ 2500 trees per hectares, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map.
- (xvii). PP proposed to allocate Rs. 2.40 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan (Annexure-II) for monitorable activities like up-gradation of schools with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, potable drinking water facilities, solar light/solar power support for uninterrupted

power supply, soil nutrient management etc. Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District Administration.

- (xviii). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% of plant area i.e 1.21 Ha shall be allotted solely for parking purposes with facilities like rest rooms etc.
- (xix). Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.
- (xx). Continuous online (24x7) system for monitoring of stack emissions/effluent quality shall be installed for measurement of flue gas emissions and the pollutants concentration, and the data shall be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xxi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ Director/CEO as per company hierarchy.
- (xxii). PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.

B. General Condition:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules,

1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

22. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

23. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

24. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

25. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

26. This issues with the approval of the competent authority.

(A. N. Singh)
Scientist-'E'

Copy to: -

1. The Secretary, Department of Environment, Government of Uttar Pradesh, 601, Babu Bhawan, Secretariat, Vidhan Sabha Marg, Lucknow (UP) – 1
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Kendriya Bhawan, 5th Floor, Sector "H", Aliganj, Lucknow - 226020
3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi -32
4. The Member Secretary, Uttar Pradesh Pollution Control Board, Building No. TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow – 10
5. The Member Secretary, Central Ground Water Authority, 18/11, Jamnagar House, Mansingh Road, New Delhi – 11
6. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
7. The District Collector, District Moradabad, Uttar Pradesh
8. Guard File/Monitoring File/Parivesh portal/Record File

(A. N. Singh)
Scientist-'E'

E-mail: aditya.narayan@nic.in
Tel. No. 11-24642176

Annexure -I

Capital cost and recurring cost of EMP are given below:

S. No	Particulars	Capital Cost (In INR Cr)	Annual Recurring (Cost in INR Cr)
--------------	--------------------	-------------------------------------	--

1	Air pollution control system ESP with stack, Industrial vacuum cleaner, road sweeping machine, etc.	6.5	0.85
2	Continuous Emission Monitoring System and Ambient Air Quality Monitoring System	0.85	0.3
3	Scrubbing system, compressing system, liquefying system and storage for CO2 removal	3.5	0.45
4	Treatment system for spent wash, DWGS centrifuge decanter, DDGS dryer for ZLD system, Construction of Garland drains, Water Reservoir	11.5	3.5
5	Condensate Polishing unit for water treatment and recycle, STP	4.5	1.05
6	Ash handling and management	2.5	0.45
7	Fire Fighting measures	1.55	0.35
8	In-house Solar power Plant	3.5	0.25
9	Rainwater harvesting systems	0.65	0.15
10	Occupational Health Management	0.5	0.32
11	Noise Reduction Systems	0.85	0.15
12	Green Belt Development	0.85	0.35
13	Environment monitoring	0	0.08
14	Environment management cell	0.35	0.25
15	CER	2.4	0
	Total	40	8.5

Annexure - II

Details of Extended EMP (CER) with proposed activities and budgetary allocation:

S. No	Description	Value in INR (Cr)
1.	a. Development of Village roads. b. Upgradation of drinking water facility by Installation of RO and water Purifier in nearby in nearby Village Bhuraghat, Mudapada, Gautampur and Bhagabanpur	0.85
2.	Installation of solar panels (15 nos.) in Village Babarkhera, Shahganj and Faridnagar	0.55
3.	Upgradation of medical facility in nearby hospital such as Donating medical equipment like Beds, Stretcher, Portable Oxygen Cylinder (330 Litre), Oxygen Concentrator (0.5 to 5 Ltr), AC (Window AC of 1.5 Ton) in Govt Hospital, Thakurdwara .	0.6

4.	Development of smart class, distribution of benches, Fans, drinking water facility, Upgradation of sanitary facility (One for male and one for female), Distribution of IT gadgets (students of class 12), Printers, Computers in schools present in nearby in nearby villages i.e., Primary Government School, Babarkhera 2.1 km (N), Primary School, Dhakiagulabo: 6.2 km (E) and Primary School, Kalewala: 6.45 km(SW)	0.4
	Total	2.40

Validity unknown

Digitally signed by A N Singh
Scientist E

Date: 4/3/2023 11:35:32 PM

A. SPECIFIC CONDITION

S.N.	Condition	Compliance Status
(i)	As per the Notification S.O. 2339(E), dated 16th June, 2021, project falls in category B2 and the proposed capacity of 300 KLPD shall only be used for fuel ethanol manufacturing as per self - certification in form of a notarized affidavit by the project proponent. provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Agreed
(ii)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented as per proposed in Annexure - I.	Noted
(iii)	PP shall ensure that no treated / untreated effluent shall be discharged into the Dhandhi River. RCC wall alongwith 20 m thick green belt buffer should be provided towards the Dhandi River.	We assure you that no treated / untreated effluent shall be discharged into Dhandi River. RCC wall alongwith 20 M thick green belt buffer will be provided towards the dhandi river.
(iv)	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project. Conversion of land use (CLU) certificate shall be obtained before start of construction activities.	Agreed The conversion of land (CLU) certificate has been obtained. The photocopy of the same is attached as annexure -1 for your perusal.

(v)	<p>NOC from the Central ground Water Authority (CGWA)/ Concerned Local authority shall be obtained before start of the construction of plant drawing of the ground water for the project activities. State pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission. No ground water shall be used for the plant operations.</p>	<p>We have already obtained the NOC from state ground water deptt vide NOC no. (NOC - 040840 and 022112)valid from 12.05.22 to 11.05.2027. photo copy of NOC is enclosed as annexure -2.</p>
(vi)	<p>Total fresh water requirement shall not exceed 1200 m³ / day, which will be sourced from ground water. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.</p>	<p>Noted. No ground water recharge will be done within the premises. Rain water storage pond of adequate capacity shall be constructed to accumulate the rain water for use and thereby to reduce fresh water consumption.</p>
(vii)	<p>Spent wash/ stillage shall be sent to the decanter followed by the multiple Effect Evaporator and dryer to form DDGS. DDGS to be used as cattle feed. The MEE & Drier condensate, spent lees, WTP Rejects, Boiler & Cooling tower blowdowns, washings etc., shall be treated in the "Condensate polishing Unit" (CPU). STP shall be installed to treat domestic wastewater. The plant shall be based on " Zero Liquid Discharge" system and no effluent/treated water shall be discharged outside factory premises.</p>	<p>Noted. The STP shall be installed to treat the domestic effluent. Purchase order for the STP, CPU, ETP and Reverse osmosis system has been placed for design, supply, erection and commissioning of the same. Photo copy of the same is enclosed as annexure-3. The plant is based on Zero liquid discharge system and no effluent / treated water shall be discharged outside factory premises.</p>

(viii)	<p>ESP (five fields) with a stack height of 60 meters will be installed with the 50 TPH biomass / coal fired boiler for controlling the particulate emissions within the statutory limit of 30 mg/Nm³. So₂ and No_x emissions shall be less than 100 mg / Nm³. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually.</p>	<p>In 1st phase, we will install the plant for production of 150 KLD ethanol and for this CTE has been issued to us by UPPCB, Lucknow. The Boiler of 35 TPH capacity and ESP (five fields) with stack height of 60 meters will be installed for controlling the particulate emissions within the statutory limit. The purchase order has been placed for above ESP. photocopy of purchase order is enclosed as annexure-4. In the event of failure of any pollution control system, the respective unit shall only be restarted after rectifying the control measures to achieve the desired efficiency. The performance assessment of pollution control devices / systems will be conducted annually.</p>
(ix)	<p>Bioiler ash (70 TPD) will be used for brick manufacturing in proposed brick manufacturing plant. PP shall use biomass like rice husk/bagasse as fuel for the proposed boiler. Low sulphur coal with maximum sulphur content of 0.5% shall only be used. PP shall meet 15% of the total power requirement from solar power by generating power inside plant premises/adjacent/nearby areas. Approach to the project site to the nearest highway will be maintained by the Industry.</p>	<p>The boiler ash will be used in brick manufacturing / cement industry. Low sulphur coal with maximum sulphur content of 0.5 % shall be used. Power requirement (15 % of total requirement) will be met from solar power. Approach to the project site from nearest high way has been provided and it will be maintained properly.</p>
(x)	<p>CO₂ (225 TPD) generated during the fermentation process is being/ will be collected by utilizing CO₂ scrubbers and it shall be collected in proposed bottling plant.</p>	<p>For production of ethanol (150 KLD) the CO₂ generation during the fermentation process will be 113 MT / day which will be collected by utilizing CO₂ scrubbers.</p>
(xi)	<p>PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety. Occupational Health Center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.</p>	<p>An amount of Rs 25 Lakhs / annum (at 150 KLD ethanol production) will be spent for occupational health safety. The occupational health center will also be set up for surveillance of the workers health. Required personal protective equipment like helmet, belt, mask etc shall be provided to all workers and employees for personal protection.</p>

(xii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Noted and agreed.
(xiii)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms. PESO certificate shall be obtained.	Purchase order has been placed for installing fire fighting system for protection of possible fire hazards during manufacturing process in material handling and other areas of plant premises for mitigating the fire eventuality. Order copy is enclosed as annexure-5
(xiv)	process organic residue and spent carbon, if any, shall be sent to cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Agreed / noted.
(xv)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste: (b) Reuse of by - products from the process as raw materials or as raw material substitutes in other processes. (c) use of automated filling to minimize spillage. (d) Use of close feed system into batch reactors. (e) venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Noted.

(xvi)	<p>The green belt of at least 5 - 10 m width shall be developed in 2.77 hectares i.e., 34.25 % of total project area with tree density @ 2500 trees per hectares, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the state forest department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map.</p>	<p>Green belt of 34.25% of total project area with tree density @ 2500 trees per hectare, mainly along the plant periphery shall be developed and selected plant species shall comply the guidelines of CPCB.</p>
(xvii)	<p>PP proposed to allocate Rs. 2.40 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan (Annexure - II) for monitorable activities like up - gradation of schools with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, potable drinking water facilities, solar light/solar power support for uninterrupted power suppl, soil nutrient management etc. Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District Administration.</p>	<p>The project cost of 150 KLD ethanol plant is 167 crores and based on project cost, we have allocated to spend an amount of Rs. 1.67 crores i.e. 1% of the project cost towards the EMP (CER) plan for monitorable activities. The various activities under CER (as per annexure- A) shall be completed before commissioning of the plant in consultation with district administration.</p>
(xviii)	<p>There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total projet area, 15% of plant area i.e 1.21 Ha shall be allotted solely for parking purpose with facilities like rest rooms etc.</p>	<p>Complied.</p>

(xix)	<p>Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant /machinery for shut down incase of operational failure of Air Pollution Control Equipment.</p>	<p>Silo construction job for raw material storage, is under progress along with other points like drains, Catch pit to trap run off materials, internal road etc. The industrial vacuum cleaner will be provided to sweep the internal roads. The point has been noted for air pollution control system interlocking with process plant for shut down in case of operational failure of APC equipment.</p>
(xx)	<p>NOC from the Central ground Water Authority (CGWA)/ Concerned Local authority shall be obtained before start of the construction of plant drawing of the ground water for the project activities. State pollution Control Board / Pollution Control Committees</p>	<p>Complied.</p>
xxi	<p>A separate Enviromental Management cell (having qualified person with Environmental Science/ Environmental Engineering/ specialization in the project area) equipped with full - fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring funtions. EMC head shall report directly to Head of Organization/ Director /CEO as per company hierarchy.</p>	<p>Noted</p>

(xxii)	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of single use plastic in order to ensure the compliance of Notification published by MOEFCC on 12th ugust, 2021. A report along with photographs on the measures taken shall also be included in the six - monthly compliance report being submitted to concerned authority.	The safety officr takes daily round of project area and creates awareness about the ban of single use plastic while educating the people for proper use and application of various personal protective equipments. Security guard posted at main gate also check the people to ensure that no ane is carrying single use plastic in the project area. The photo graphs showing the above measures taken are enclosed as annexure-6
--------	--	--

B. GENERAL CONDITION

S.N.	Condition	Compliance Status
(i)	No further expansion or modifications in the plant, other mentioned in the EIA Notification, 2006 and its amendment, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/ SEIAA, as applicable. In case deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry / SEIAA, as applicable, to assess the adequacy of conditions imposed and to assess additional environmental protection measures required, if any.	Noted and agreed. No further expansion or modifications in the plant shall be carried out without prior approval of the MOEF & CC as applicable.
(ii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Being complied.
(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. On all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	The overall noise level in and around the plant area shall be kept well within the prescribed standard by providing noise control measures. The ambient noise levels shall conform to the standards prescribed under EP Act - 1986 and Rules - 1989.

(iv)	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco - developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Noted . We will under take all relevant measures like - skill development to poor and unskilled persons of near by area, support in health care, drinking water in schools of near by area, and direct and indirect job opportunity for the local people for improving socio - economic condition of the surrounding area ,the eco development measures like green belt development, plantation on road sides, control of Air, water & noise pollution will be under taken for over all improvement of environment.
(v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	In 1st phase, we will install ethanol plant for production of 150 KL ethanol per day and project cost at above capacity has been estimated to be RS. 167 crores and accordingly, we have allocated an amount of Rs 20.47 crores towards capital cost and Rs 4.25 crores towards recurring cost per annum under EMP as per annexure attached as annexure -B .The funds so earmarked for environment management / pollution control measures shall not be diverted for any other purpose.
(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal.	A copy of the clearance letter has already been sent to concerned gram panchayat, Zila parishad, president municipal corporation, thakurdwara and gram pradhan, faridnagar. Photo copy of above letter is enclosed as annexure-7.

(vii)	<p>The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (Both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.</p>	<p>The six monthly reports for the period from April 2023 to September - 2023 on the status of compliance of conditions given in the EC are being submitted to the Regional office of MOEF & CC, and SPCB. A copy of EC and six monthly compliance status report has been posted on the web site of the company.</p>
(viii)	<p>The environmental statement for each financial year ending 31st march in form - V as is mandated shall be submitted to the concerned state pollution control board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective regional Offices of MoEF&CC by e-mail.</p>	<p>Noted for compliance.</p>

(ix)	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/ Committee and may also be seen at Website of the Ministry and https:// parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the ministry.</p>	<p>We have already informed the public that M/S pasupati Acrylon Ltd (Ethanol Unit) has been accorded environment clearance by the ministry by advertising the same in two local news paper. The copy of the clearance letter is available with SPCB / committee and may also be seen at web site of the ministry. A copy of the same has also been forwarded to the concerned regional office of the ministry. The photo copy of the advertisement and the letter sent to regional office of ministry is enclosed as annexure-8 for your perusal.</p>
(x)	<p>The project authorities shall inform the Regional Office as well the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.</p>	<p>Date of Financial : 31st March closure Final approval by : CTE, Fire & GW NOC concerned obtained from conce authorities. rned deptts. Date of start of project : July - 2023</p>
(xi)	<p>This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.</p>	<p>Noted</p>
22	<p>The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stage and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.</p>	<p>Agreed</p>

23	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attractacion under the provision of Environment (protection) Act, 1986.	Agreed
24	Any appeal against this environmrntal clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted
25	The above conditions will be enforced, inter-alia under the provision of the water (prevention & control of pollution) Act, 1974, the Air (prevention & control of pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous waste (Management, Handling and Transboundary Movement) Rules, 2016 and the public Liability Insurance Act, 1991 read with subsequent amendments therein.	Noted
26	This issues with the approval of the competent authority.	Noted



उद्धरण खतौनी

उद्धरण क्रमांक : 11460420231123

ग्राम क्रमांक : 114604 ग्राम का नाम (परगना) : मोहम्मद गंज(ठाकुरद्वारा) तहसील : ठाकुरद्वारा जनपद : मुरादाबाद
फसली वर्ष : 1427-1432 (01 जुलाई, 2019 से 30 जून, 2025) भाग : 1 (1) खाता संख्या : 00067

श्रेणी : 1-क / भूमि जो संक्रमणीय भूमिधरों के अधिकार में हो।

खातेदार का विवरण		खातेदारी प्रारम्भ होने का विवरण		भूमि का विवरण		खातेदार का अंश		
खसरा/गाटा संख्या	(2) नाम/पिता-पति-संरक्षक-प्रबंधक का नाम / जाति कोड / आधार नं0 (अन्तिम चार अंक) अथवा पैन नं0 (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	(3) न्यायालय का नाम / कम्प्यूटरीकृत वाद संख्या अथवा आदेश संख्या / आदेश का दिनांक / जोत का आधार	(4) वर्ष	(5) गाटा (यूनीक कोड)	(6) गाटे का कुल क्षेत्रफल (हे.)	(7) हिस्से में	(8) क्षेत्रफल में (हे.)	(9) खातेदार द्वारा देय भू-राजस्व
140	दलवीर सिंह / सिंघाड़ा सिंह / नि.ग्राम करनैल / सिंघाड़ा सिंह / नि.ग्राम बाज सिंह / सिंघाड़ा सिंह / नि.ग्राम भजन सिंह / सिंघाड़ा सिंह / नि.ग्राम सुखदेव सिंह / जरनैल सिंह / नि.ग्राम साहव सिंह / करनैल सिंह / नि.ग्राम दलबाग सिंह / प्रीतम सिंह / नि.ग्राम श्रीमति महेन्द्र कौर पत्नी / प्रीतम सिंह / नि.ग्राम बलविन्दर कौर पत्नी / बाज सिंह / नि.ग्राम		1385फ	140(1146040140000012)	5.7470			142.00

कुल गाटे- एक कुल क्षेत्रफल- पाँच दशमलव सात चार सात शून्य (हेक्टेयर) कुल भू-राजस्व - एक चार दो दशमलव शून्य शून्य रुपये

दर्ज किया गया

नामान्तरण / परिवर्तन का विवरण	खारिज किया गया			दर्ज किया गया		(16)
(10) न्यायालय का नाम / कम्प्यूटरीकृत वाद संख्या अथवा आदेश संख्या / आदेश का दिनांक / नामान्तरण का आधार / डिजिटल हस्ताक्षर नाम / डिजिटल हस्ताक्षर दिनांक	(11) नाम / पिता-पति-संरक्षक-प्रबंधक का नाम / जाति कोड / आधार नं० (अन्तिम चार अंक) अथवा पैन नं० (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	(12) गाटे का खसरा नम्बर / यूनीक कोड	(13) क्षेत्रफल (हे.)	(14) नाम / पिता-पति-संरक्षक-प्रबंधक का नाम / जाति कोड / आधार नं० (अन्तिम चार अंक) अथवा पैन नं० (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	(15) गाटे का खसरा नम्बर / यूनीक कोड	(16) क्षेत्रफल (हे.)

(17) भूमि के सम्बन्ध में विचाराधीन राजस्व वाद/वादों की कम्प्यूटरीकृत संख्या :

(18) बंधक/बंधक-मुक्त होने की स्थिति
(18.1) बंधक होने की स्थिति (संस्था अथवा बैंक का नाम/कोड/बंधक का दिनांक/धनराशि/आवेदन संख्या/खातेदार(पिता-पति-संरक्षक)) :

(18.2) बंधक-मुक्त होने की स्थिति (संस्था अथवा बैंक का नाम/कोड/बंधक-मुक्त का दिनांक/धनराशि/आवेदन संख्या/खातेदार(पिता-पति-संरक्षक)) :

(19) अभ्युक्ति :

- आदेशानुसार श्रीमान प्रबन्ध निदेशक साधन सह0समितिलि० शाखा नन्हूवाला दि० 19.6.14 को खातेदार करनैल सिंह पुत्र सिंगारा सिंह नि० ग्राम ने मु० 202514रु० का ऋण लेने हेतु भूमि बंधक रखी है। ह०आर०के० (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- आदेशानुसार श्रीमान मैनेजर सिडिकेट बैंक शाखा ठाकुरद्वारा से दि० 17.4.15 को भजन ंसिह पुत्र सिधाडा ंसिह नि० ग्राम ने मु० 300000 रु० का ऋण लेकर भूमि बंधक रखी है। ह०आर०के० (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- आदेशानुसार श्रीमान मैनेजर सिडिकेट बैंक शाखा ठाकुरद्वारा दि० 17.1.12 को खातासं० 72पर भजन सिंह पुत्र सिंगारा सिंह नि० ग्राम ने मु० 250000रु० का ऋण लेकर भूमि बंधक रखी है। ह०आर०के० (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- आदेशानुसार श्रीमान मैनेजर सिडिकेट बैंक शाखा ठाकुरद्वारा दि० 17.11.11 को खातासं० 72पर भजनसिंह उर्फ हरभजन पुत्र सिंगारा सिंह नि० ग्राम ने मु० 150000रु० का ऋण लेकर भूमि बंधक रखी है। ह०आर०के० (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- आदेशानुसार श्रीमान मैनेजर सिडिकेट बैंक शाखा ठाकुरद्वारा दिनांक 20.01.09 को खातासं० 68,70,73 पर भजनसिंह उर्फ हरभजन सिंह पुत्र सिंगारा नि० ग्राम ने मु० 100000रु० का ऋण लेकर भूमि बंधक रखी है। ह०आर०के० (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- आदेशानुसार श्रीमान प्रबन्ध निदेशक साधन सह०समिति लि० शाखा नन्हूवाला दि० 9.6.14 को खातेदार दलवीरसिंह पुत्र सिंगारा सिंह नि० ग्राम ने मु० 227000रु० का ऋण लेने हेतु भूमि बंधक रखी है। ह०आर०के० (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)

पूर्व आदेशों का विवरण

- न्यायालय उपजिलाधिकारी ठाकुरद्वारा वादसं० टी० 201713541505657/17 अन्तर्गत धारा 80 राजस्व संहिता 20१० ग्राम मोहम्मदगंज पर० व तह० ठाकुरद्वारा विगार इन्टरप्राइजेज लि० एम० 14 मिडिल सर्किल कनाट सर्कस नई दिल्ली द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र श्री एन०एस०यादव नि० सी०-18 न्यू आवास विकास काशीपुर जिला उ०सि०नगर बनाम ग्राम सआ में विवेचना के आधार पर आदेश हुआ कि तहसीलदार ठाकुरद्वारा की आख्या दि० 1.5.17 से सहमत होते हुए ग्राम मोहम्मद गंज में स्थित खातासं० 103 के गाटासं० 142 व रकवा 0.993 हे० लगान 24.60 पै० का पूर्ण भाग व खातासं० 73 गाटासं० 140 रकवा

- 5.747हे0 लगान 142रू0 मे से रकवा 0.706हे0 लगान 17.40पै0 कुल 2 किता रकवा 1.699हे0 लगान 42रू0 में प्रार्थी विगार इन्टरप्राइजेज लि0 एम0 14 मिडिल सर्किल कनाट सर्कस नई दिल्ली द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र श्री एन0एस0यादव नि0 सी0-18 न्यू आवास विकास काशीपुर जिला 30सि0नगर की मौके पर औद्योगिक फर्म बनी होने के कारण उक्त क्षेत्र को कृषि भूमि से अकृषिक भूमि घोषित किया जाता है।ह0आर0 के0 6.5.17
- 2) न्यायालय उपजिलाधिकारी ठाकुरद्वारा वादसं0 टी0 201713541505652/17अन्तर्गत धारा 80 राजस्व संहिता 30प्र0 ग्राम मोहम्मदगंज पर0 व तह0 ठाकुरद्वारा मैसर्स सुलभ प्लान्टेशन एण्ड फाइनेंस प्रा0 लि0 250 त्रिभुवन काम्पलेक्स ईश्वरनगर नई दिल्ली द्वारा डायरेक्टर श्री जी0 राजशेखर पुत्र श्री एम0एन0जी0 नायर द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र श्री एन0एस0यादव निवासी सी0-18 न्यू आवास विकास काशीपुर जिला 30सि0नगर (उत्तराखण्ड) बनाम ग्राम सभा में विवेचना के आधार पर आदेश हुआ कि तहसीलदार ठाकुरद्वारा की आख्या दि0 1.5.17 से सहमत होते हुए ग्राम मोहम्मदगंज पर0 व तह0 ठाकुरद्वारा में स्थित खातासं0 73 के गाटासं0 140 रकवा 5.741हे0 लगान 142रू0 मे से 5.041हे0 लगान 124.50पै0 में प्रार्थी मैसर्स सुलभ प्लान्टेशन एण्ड फाइनेंस प्रा0 लि0 250 त्रिभुवन काम्पलेक्स ईश्वरनगर नई दिल्ली द्वारा डायरेक्टर श्री जी0 राजशेखर पुत्र श्री एम0एन0जी0 नगर द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र श्री एन0एस0यादव निवासी सी0-18 न्यू आवास विकास काशीपुर जिला 30सि0नगर (उत्तराखण्ड) में मौके पर औद्योगिक कार्य होने के कारण उक्त क्षेत्र को कृषि भूमि से अकृषिक भूमि घोषित किया जाता है।ह0आर0 के0 6.5.17
- 3) आदेशानुसार श्रीमान तह0 महोदय के आदेश दि0 16/01/17 के अन्तर्गत ग्राम मोहम्मद गंज की खतौनी फ0 1421 से 1426फ0 के खाता सं0 73 की गाटा सं0 140 रकवा 5.747हे0 पर पूर्व पारित आदेश दि0 18/11/2016 सिविल न्यायालय द्वारा पारित आदेश दि0 10/11/2016 के आलोक में निरस्त किया जाता है, तथा पूर्व पारित आदेश दि0 06/07/2016 यथावत रखा जाता है,ह0आर0के0 21/07/17
- 4) आदेशानुसार श्रीमान तहसीलदार महोदय द्वारा आदेश दिनांक 29/12/14 के अन्तर्गत ग्राम मोहम्मद गंज की खतौनी सन् फसली 1421-1426 फसली के खाता सं0 73 के गाटा सं0 140 रकवा 5.747 है लगान 142रूपये पर प्रार्थी बलदेव सिंह व उसके सगे भाई गुरमेल सिंह पुत्रगण जनरैल सिंह नि. ग्राम का नाम सहवन भूल से दर्ज होने से रह गया है। अतः खाता सं0 73 के गाटा सं0 140 रकवा 5.747 है लगान 142 रूपये पर प्रार्थी बलदेव सिंह व गुरमेल सिंह पुत्रगण जनरैल सिंह नि0 ग्राम का नाम बतौर संक्रमणीय भूमिधर सहखातेदार के रूप में दर्ज हो। ह0 आर0 के0 29/12/14
- 5) आदेशानुसार श्रीमान नायव तहसीलदार 30 वाद सं0 723/15 दिनांक 10/07/15 को गाटा सं0 140 रकवा 5.747 है में से 0.706 है व 142ब रकवा 0.993 है लगान 42 रूपये पूर्ण भाग से दलवीर सिंह, करनैल सिंह, बाज सिंह, भजन सिंह पुत्रगण सिंघाड़ा व सुखदेव सिंह पुत्र जनरैल सिंह, साहव सिंह करनैल सिंह व दलबाग सिंह पुत्र प्रीतम सिंह व श्रीमति महेन्द्र कौर पत्नी स्व0 प्रीतम सिंह व श्रीमति बलविन्दर कौर पत्नी बाज सिंह नि0 ग्राम का नाम खारिज होकर विगार इण्टर प्राइजेज लि0 एम 14 मिडिल सर्किल कनाट सर्कस नई दिल्ली 110001 द्वारा डायरेक्टर अनिल टंडन पुत्र रामनाथ टंडन द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र एन एस यादव नि0 सी 18 न्यू आवास विकास काशीपुर जिला उधमसिंह नगर उत्तराखण्ड का नाम बतौर बयनामा दर्ज हो। ह0 आर0 के0 17/07/15
- 6) आदेशानुसार श्रीमान नायव तहसीलदार 30 वाद सं0 1714/15 दिनांक 10/07/15 को गाटा सं0 140 रकवा 5.747 है में से 5.041 है लगान 124.56 रूपये से दलवीर सिंह व करनैल सिंह, बाज सिंह, भजन सिंह पुत्रगम सिंघाड़ा, सुखदेव सिंह पुत्र जनरैल सिंह, साहव सिंह करनैल सिंह व दलबाग सिंह पुत्र प्रीतम सिंह व श्रीमति महेन्द्र कौर पत्नी स्व0 प्रीतम सिंह व श्रीमति बलविन्दर कौर पत्नी बाज सिंह नि0 ग्राम का नाम खारिज होकर सुलभ प्लान्टेशन एण्ड फाइनेंस प्रा0 लि0 250 त्रिभुवन काम्पलेक्स ईश्वर नगर नई दिल्ली 110065द्वारा जी0 राजशेखर पुत्र एम0 एन0 जी0 नायर द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र एन0 एस0 यादव नि0 सी0 18 न्यू आवास विकास काशीपुर उधमसिंह नगर का नाम बतौर बयनामा सहखातेदार दर्ज हो। ह0 आर0 के0 14/07/15
- 7) आदेशानुसार श्रीमान नायव तहसीलदार 30 वाद सं0 1724/15/8/2/16 को उक्त वाद में पूर्व पारित नामान्तरण आदेश दिनांक 10/07/15 निरस्त कर संशोधित आदेश पारित किया जाता है। कि ग्राम मोहम्मद गंज के खाता सं0 73 के गाटा सं0 140 रकवा 5.747हे0 में से 0.706 है0 से एवं खाता सं0 103 के गाटा सं0 142ब रकवा 0.993हे0 लगान 24.60 रूपये विक्रेतागण दलवीर सिंह करनैल सिंह बाज सिंह भजन सिंह पुत्रगण सिंघाड़ा, सुखदेव सिंह पुत्र जनरैल सिंह, साहव सिंह करनैल सिंह, साहव सिंह करनैल सिंह, दलबाग सिंह प्रीतम सिंह, श्रीमति महेन्द्र कौर पत्नी प्रीतम सिंह, श्रीमति बलविन्दर कौर पत्नी बाज सिंह नि. ग्राम का नाम खारिज होकर क्रेता विगार इण्टर प्राइजेज लि0 एम14 मिडिल सर्किल कनाट सर्कस नई दिल्ली 110001 द्वारा डायरेक्टर अनिल टंडन पुत्र रामलाल टंडन द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र एन0 एस0 यादव नि0 सी0 18 न्यू आवास विकास काशीपुर जिला उधमसिंहनगर नाम बतौर बयनामा सं0 भू0 दर्ज हो। गाटा सं0 140 पर बलदेव व गुरमेल सहखातेदार के रूप में दर्ज रहेंगे। ह0 आर0 के0 08/02/16
- 8) आदेशानुसार श्रीमान नायव तहसीलदार 30 वाद सं0 1723/15/8/2/16 को उक्त वाद में पूर्व पारित नामान्तरण आदेश दिनांक 10/07/15 निरस्त कर संशोधित आदेश पारित किया जाता है कि ग्राम मोहम्मद गंज के खाता सं0 73 के गाटा सं0 140 रकवा 5.747 है0 लगान 142 रूपये के भागानुसार भाग से विक्रेता गण दलवीर सिंह व करनैल सिंह, बाज सिंह, भजन सिंह पुत्रगण सिंघाड़ा, सुखदेव सिंह पुत्र जनरैल सिंह, साहव सिंह करनैल सिंह व दलबाग सिंह पुत्र प्रीतम सिंह व श्रीमति महेन्द्र कौर पत्नी स्व0 प्रीतम सिंह व श्रीमति बलविन्दर कौर पत्नी बाज सिंह नि0 ग्राम का नाम खारिज होकर क्रेता सुलभ प्लान्टेशन एण्ड फाइनेंस प्रा0 लि0 250 त्रिभुवन काम्पलेक्स ईश्वर नगर नई दिल्ली 110065द्वारा जी0 राजशेखर पुत्र एम0 एन0 जी0 नायर द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र एन0 एस0 यादव नि0 सी0 18 न्यू आवास विकास काशीपुर उधमसिंह नगर का नाम बतौर बयनामा सं0 भू0 दर्ज हो तथा उक्त खातेदार बलदेव व गुरमेल सिंह सहखातेदार के रूप में अंकित रहेंगे। ह0 आर0 के0 08/02/16
- 9) आदेशानुसार श्रीमान तहसीलदार महोदय द्वारा आदेश दिनांक 06/07/16 के अन्तर्गत ग्राम मोहम्मद गंज की खतौनी सन् फसली 1421-1426 फसली के खाता सं0 73 के गाटा सं0 140 रकवा 5.747 है लगान 142रूपये पर प्रार्थी बलदेव सिंह व उसके सगे भाई गुरमेल सिंह पुत्रगण जनरैल सिंह नि. मोहम्मद गंज का नाम बतौर सं0 भू0 अंकित किये जाने संबंधि आदेश दिनांक 29/12/14 त्रुटि पूर्ण होने के कारण अपास्त किया जाता है। ह0 आर0 के0 08/07/16
- 10) न्यायालय उपजिलाधिकारी ठाकुरद्वारा वाद सं0 टी 202213540502206/22 मैसर्स विगार इण्टरप्राइजेज प्राइवेट लि0 द्वारा डा0 विनीत जैन बनाम 30प्र0 सरकार अंतर्गत धारा 38(1) अधिनियम 30प्र0 राजस्व संहिता 2006 में अतः आदेश हुआ कि तहसीलदार ठाकुरद्वारा की आख्या दिनांक 18.05.2022 स्वीकार करते हुये, ग्राम मोहम्मदगंज स्थित खाता सं0 67 के गाटा सं0 140 रकवा 0.706 है0, तथा खाता सं0 90 के गाटा सं0 142ब रकवा 0.993 है0 पर अंकित कम्पनी मैसर्स विगार इण्टरप्राइजेज लि0 के स्थान पर मैसर्स विगार इण्टरप्राइजेज प्राइवेट लि0 द्वारा डायरेक्टर विनीत जैन पुत्र विनोद जैन निवासी-25, फ्रेन्ड्स कालोनी, वेस्ट)

नई दिल्ली-110065 का नाम अंकित किया जाता है। ह0आर0के0 14/06/22

Data Digitally Signed by: SATVEER SINGH (RAGISTRAR KANOONGO)
दिनांक/समय/स्थान: 16-11-2023 12:23:17 तहसील : ठाकुरद्वारा
❶ यह उद्घरण खतौनी इलेक्ट्रॉनिक डिलीवरी सिस्टम द्वारा तैयार की गयी है तथा डाटा डिजिटल हस्ताक्षर द्वारा हस्ताक्षरित है।

मुद्रित कर्ता : ANIL KUMAR तहसील : ठाकुरद्वारा
मुद्रित दिनांक एवं समय: 16-11-2023 12:23:17
❶ Not Applicable For Online Prints ❶ उपरोक्त उद्घरण खतौनी का वेरीफिकेशन <https://upbhulekh.gov.in> Website पर जाकर अथवा QR Code Scan करके किया जा सकता है।





उद्धरण खतौनी

उद्धरण क्रमांक : 11460420231124

ग्राम क्रमांक : 114604 ग्राम का नाम (परगना) : मोहम्मद गंज(ठाकुरद्वारा) तहसील : ठाकुरद्वारा जनपद : मुरादाबाद
फसली वर्ष : 1427-1432 (01 जुलाई, 2019 से 30 जून, 2025) भाग : 1 (1) खाता संख्या : 00090

श्रेणी : 1-क / भूमि जो संक्रमणीय भूमिधरों के अधिकार में हो।

खातेदार का विवरण		खातेदारी प्रारम्भ होने का विवरण		भूमि का विवरण		खातेदार का अंश		
खसरा/गाटा संख्या	(2) नाम/पिता-पति-संरक्षक-प्रबंधक का नाम / जाति कोड / आधार नं० (अन्तिम चार अंक) अथवा पैन नं० (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	(3) न्यायालय का नाम / कम्प्यूटरीकृत वाद संख्या अथवा आदेश संख्या / आदेश का दिनांक / जोत का आधार	(4) वर्ष	(5) गाटा (यूनीक कोड)	(6) गाटे का कुल क्षेत्रफल (हे.)	(7) हिस्से में	(8) क्षेत्रफल में (हे.)	(9) खातेदार द्वारा देय भू-राजस्व
142व	1) मैसर्स विगार इन्टरप्राइजेज प्राईवेट लि०/द्वारा डायरेक्टर विनीत जैन पुत्र विनोद जैन/निवासी-25, फ्रेंड्स कालोनी, वेस्ट नई दिल्ली	1) अन्य /12524025251715 /25-03-2021 /दुरस्ती (संशोधन से) 2) अन्य /T202213540502206 /18-05-2022 /दुरस्ती (संशोधन से)	1386व	142व(1146040142200212)	0.9930	1) -	1) 0.9930	24.60
							0.9930	

कुल गाटे- एक कुल क्षेत्रफल- शून्य दशमलव नौ नौ तीन शून्य (हेक्टेयर) कुल भू-राजस्व - दो चार दशमलव छः शून्य रुपये कुल अंश का क्षेत्रफल - शून्य दशमलव नौ नौ तीन शून्य (हेक्टेयर)

नामान्तरण / परिवर्तन का विवरण

खारिज किया गया

दर्ज किया गया

(10) न्यायालय का नाम / कम्प्यूटरीकृत वाद संख्या	(11) नाम / पिता-पति-	(12) गाटे का खसरा नम्बर /	(13) क्षेत्रफल	(14) नाम / पिता-पति-संरक्षक-	(15) गाटे का खसरा नम्बर / यूनीक कोड	(16) क्षेत्रफल
---	----------------------	---------------------------	----------------	------------------------------	-------------------------------------	----------------

अथवा आदेश संख्या / आदेश का दिनांक / नामान्तरण का आधार / डिजिटल हस्ताक्षर नाम / डिजिटल हस्ताक्षर दिनांक	संरक्षक-प्रबंधक का नाम / जाति कोड / आधार नं० (अन्तिम चार अंक) अथवा पैन नं० (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	यूनीक कोड	(हे.)	प्रबंधक का नाम / जाति कोड / आधार नं० (अन्तिम चार अंक) अथवा पैन नं० (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	(हे.)
1) अन्य /12524025251715 /25-03-2021 /दुरस्ती (संशोधन से) /ANIL KUMAR /24-07-2023 2) अन्य /T202213540502206 /18-05-2022 /दुरस्ती (संशोधन से) /ANIL KUMAR /24-07-2023	1.1) बाज सिंह/सिघंारा/नि. ग्राम (शेष क्षेत्रफल : 0.0000) 2.1) विगार इन्टर प्राइजेज लि०/मि० एम० 14 मिडिल सर्किल/कनाट सर्कस नई दिल्ली (शेष क्षेत्रफल : 0.0000)	142व(1146040142200212)	1.1) 0.9930 2.1) 0.9930	1.1) विगार इन्टर प्राइजेज लि०/मि० एम० 14 मिडिल सर्किल/कनाट सर्कस नई दिल्ली 2.1) मैसर्स विगार इन्टरप्राइजेज प्राइवेट लि०/द्वारा डायरेक्टर विनीत जैन पुत्र विनोद जैन/निवासी-25, फ्रेन्डस कालोनी, वेस्ट नई दिल्ली	1.1) 0.9930 2.1) 0.9930

(17)भूमि के सम्बन्ध में विचाराधीन राजस्व वाद/वादों की कम्प्यूटरीकृत संख्या :

(18)बंधक/बंधक-मुक्त होने की स्थिति

(18.1)बंधक होने की स्थिति (संस्था अथवा बैंक का नाम/कोड/बंधक का दिनांक/धनराशि/आवेदन संख्या/खातेदार(पिता-पति-संरक्षक)) :

(18.2)बंधक-मुक्त होने की स्थिति (संस्था अथवा बैंक का नाम/कोड/बंधक-मुक्त का दिनांक/धनराशि/आवेदन संख्या/खातेदार(पिता-पति-संरक्षक)) :

(19)अभ्युक्ति :

पूर्व आदेशों का विवरण
1) न्यायालय उपजिलाधिकारी ठाकुरद्वारा वादसं० टी० 201713541505657/17अन्तर्गत धारा 80 राजस्व संहिता 2017 गाम मोहम्मदगंज पर० व तह० ठाकुरद्वारा विगार इन्टरप्राइजेज लि० एम० 14 मिडिल सर्किल कनाट सर्कस नई दिल्ली द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र श्री एन०एस०यादव नि० सी०-18 न्यू आवास विकास काशीपुर जिला 30सि०नगर बनाम गाम सभा में विवेचना के आधार पर आदेश हुआ कि तहसीलदार ठाकुरद्वारा की आख्या दि० 1.5.17 से सहमत होते हुए गाम मोहम्मद गंज में स्थित खातासं० 103 के गाटासं० 142व रकवा 0.993हे० लगान 24.60पै० का पूर्ण भाग व खातासं० 73 गाटासं० 140 रकवा 5.747हे० लगान 142रू० मे से रकवा 0.706हे० लगान 17.40पै० कुल 2 किता रकवा 1.699हे० लगान 42रू० में प्रार्थी विगार इन्टरप्राइजेज लि० एम० 14 मिडिल सर्किल कनाट सर्कस नई दिल्ली द्वारा नियुक्त मुख्तार आम रामजी सिंह यादव पुत्र श्री एन०एस०यादव नि० सी०-18 न्यू आवास विकास काशीपुर जिला 30सि०नगर की मौके पर औद्योगिक फर्म बनी होने के कारण उक्त क्षेत्र को कृषि भूमि से अकृषिक भूमि घोषित

- किया जाता है। ह0आर0के0 6.5.17
- 2) आदेशानुसार श्रीमान रा0 नि0 ठाकुरद्वारा की आख्या दि0 25/03/21 एवं उ0 प्र0 रा0 संहिता 2006 की धारा 32 के अन्तर्गत ग्राम मौहम्मद गंज की खतोनी 1427 से 1432 के खाता सं0 90 की गाटा सं0 142व रकबा 0.993 हे0 लगान 24.00 रु0 पर वृद्धि अंकित खातेदार वाज सिंह पुत्र सिधांडा नि0 ग्राम पृथक किया जाता है, तथा उक्त गाटे पर विगार इन्टर प्राइजेज लि0 मि0 एम0 14 मिडिल सर्किल कनाट सर्कस नई दिल्ली खातेदार दर्ज किया जाता है। ह0आर0के0 28/10/21
- 3) न्यायालय उपजिलाधिकारी ठाकुरद्वारा वाद सं0 टी 202213540502206/22 मैसर्स विगार इन्टरप्राइजेज प्राइवेट लि0 द्वारा डा0 विनीत जैन बनाम उ0 प्र0 सरकार अंतर्गत धारा 38(1) अधिनियम उ0 प्र0 राजस्व संहिता 2006 में अतः आदेश हुआ कि तहसीलदार ठाकुरद्वारा की आख्या दिनांक 18.05.2022 स्वीकार करते हुये, ग्राम मौहम्मदगंज स्थित खाता सं0 67 के गाटा सं0 140 रकबा 0.706 हे0, तथा खाता सं0 90 के गाटा सं0 142व रकबा 0.993 हे0 पर अंकित कम्पनी मैसर्स विगार इन्टरप्राइजेज लि0 के स्थान पर मैसर्स विगार इन्टरप्राइजेज प्राइवेट लि0 द्वारा डायरेक्टर विनीत जैन पुत्र विनोद जैन निवासी-25, फ्रेंड्स कालोनी, वेस्ट नई दिल्ली-110065 का नाम अंकित किया जाता है। ह0आर0के0 14/06/22
- 4) न्यायालय उपजिलाधिकारी वाद सं0 2206/22 दि0 18/05/22 मैसर्स विगार इन्टरप्राइजेज प्राइवेट लि0 द्वारा डा0 विनीत जैन बनाम उ0 प्र0 सरकार अंतर्गत धारा 38(1) अधिनियम उत्तर प्रदेश राजस्व संहिता 2006 में आदेश हुआ कि तहसीलदार ठाकुरद्वारा की आख्या दिनांक 18.05.2022 स्वीकार करते हुये, ग्राम मौहम्मदगंज स्थित खाता सं0 67 के गाटा सं0 140 रकबा 0.706 हे0, तथा खाता सं0 90 के गाटा सं0 142व रकबा 0.993 हे0 पर अंकित कम्पनी मैसर्स विगार इन्टरप्राइजेज लि0 के स्थान पर मैसर्स विगार इन्टरप्राइजेज प्राइवेट लि0 द्वारा डायरेक्टर विनीत जैन पुत्र विनोद जैन निवासी-25, फ्रेंड्स कालोनी, वेस्ट नई दिल्ली-110065 का नाम अंकित किया जाता है। ह0आर0के0 20/11/22

Data Digitally Signed by: ANIL KUMAR (RAGISTRAR KANOONGO)

दिनांक/समय/स्थान: 16-11-2023 12:23:54 तहसील : ठाकुरद्वारा

① यह उद्घरण खतोनी इलेक्ट्रॉनिक डिलीवरी सिस्टम द्वारा तैयार की गयी है तथा डाटा डिजीटल हस्ताक्षर द्वारा हस्ताक्षरित है।

मुद्रित कर्ता : ANIL KUMAR तहसील : ठाकुरद्वारा

मुद्रित दिनांक एवं समय: 16-11-2023 12:23:54

① Not Applicable For Online Prints ① उपरोक्त उद्घरण खतोनी का वेरीफिकेशन <https://upbhulekh.gov.in> Website पर जाकर अथवा QR Code Scan करके किया जा सकता है।





उद्धरण खतौनी

उद्धरण क्रमांक : 11460420231126

ग्राम क्रमांक : 114604 ग्राम का नाम (परगना) : मोहम्मद गंज(ठाकुरद्वारा) तहसील : ठाकुरद्वारा जनपद : मुरादाबाद
फसली वर्ष : 1427-1432 (01 जुलाई, 2019 से 30 जून, 2025) भाग : 1 (1) खाता संख्या : 00066

श्रेणी : 1-क / भूमि जो संक्रमणीय भूमिधरों के अधिकार में हो।


खातेदार का विवरण		खातेदारी प्रारम्भ होने का विवरण		भूमि का विवरण		खातेदार का अंश		
खसरा/गाटा संख्या	(2) नाम/पिता-पति-संरक्षक-प्रबंधक का नाम / जाति कोड / आधार नं० (अन्तिम चार अंक) अथवा पैन नं० (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	(3) न्यायालय का नाम / कम्प्यूटरीकृत वाद संख्या अथवा आदेश संख्या / आदेश का दिनांक / जोत का आधार	(4) वर्ष	(5) गाटा (यूनीक कोड)	(6) गाटे का कुल क्षेत्रफल (हे.)	(7) हिस्से में	(8) क्षेत्रफल में (हे.)	(9) खातेदार द्वारा देय भू-राजस्व
183मि	1) मैसर्स पशुपति एडवान्सड फिलम्स प्राईवेट लि० द्वारा/डायरेक्टर सत्यफप्रकाश गुप्ता पुत्र हरी मोहन/नि० ए-401 महावीर अमृत पाम ठाडे,महाराष्ट्र	1) अन्य /25102363251414 /06-04-2021 /दुरस्ती (संशोधन से) 2) अन्य /251425365011414 /18-05-2022 /दुरस्ती (संशोधन से)	1393फ	183मि(1146040183200212)	2.1610	1)-	1) 2.1610	53.40
							2.1610	

कुल गाटे- एक कुल क्षेत्रफल- दो दशमलव एक छः एक शून्य (हेक्टेयर) कुल भू-राजस्व - पाँच तीन दशमलव चार शून्य रुपये कुल अंश का क्षेत्रफल - दो दशमलव एक छः एक शून्य (हेक्टेयर)

नामान्तरण / परिवर्तन का विवरण

खारिज किया गया

दर्ज किया गया



11/16/2023 12:22 PM

(10) न्यायालय का नाम / कम्प्यूटरीकृत वाद संख्या अथवा आदेश संख्या / आदेश का दिनांक / नामान्तरण का आधार / डिजिटल हस्ताक्षर नाम / डिजिटल हस्ताक्षर दिनांक	(11) नाम / पिता-पति-संरक्षक-प्रबंधक का नाम / जाति कोड / आधार नं० (अन्तिम चार अंक) अथवा पैन नं० (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	(12) गाटे का खसरा नम्बर / यूनीक कोड	(13) क्षेत्रफल (हे.)	(14) नाम / पिता-पति-संरक्षक-प्रबंधक का नाम / जाति कोड / आधार नं० (अन्तिम चार अंक) अथवा पैन नं० (6-9 स्थान के अंक) / पता / जन्मतिथि (अवयस्क हेतु)	(15) गाटे का खसरा नम्बर / यूनीक कोड	(16) क्षेत्रफल (हे.)
<p>1) अन्य /25102363251414 /06-04-2021 /दुरस्ती (संशोधन से) /ANIL KUMAR /24-07-2023</p> <p>2) अन्य /251425365011414 /18-05-2022 /दुरस्ती (संशोधन से) /ANIL KUMAR /24-07-2023</p>	<p>1.1) दलवीरसिंह/सिगारा सिंह/नि. ग्राम (शेष क्षेत्रफल : 0.0000)</p> <p>1.2) बाज सिंह/सिगारा सिंह/नि. ग्राम (शेष क्षेत्रफल : 0.0000)</p> <p>1.3) करनैलसिंह/सिगारा सिंह/नि. ग्राम (शेष क्षेत्रफल : 0.0000)</p> <p>1.4) भजनसिंह/सिगारा सिंह/नि. ग्राम (शेष क्षेत्रफल : 0.0000)</p> <p>2.1) मै० पशुपति एडवान्सड फिल्मस लि० द्वारा डायरेक्टर/सत्यप्रकाश गुप्ता पुत्र हरी</p>	<p>183मि(1146040183200212)</p>	<p>1.1) 0.5400</p> <p>1.2) 0.5400</p> <p>1.3) 0.5400</p> <p>1.4) 0.5410</p> <p>2.1) 2.1610</p>	<p>1.1) मै० पशुपति एडवान्सड फिल्मस लि० द्वारा डायरेक्टर/सत्यप्रकाश गुप्ता पुत्र हरी मोहन/नि० ए-401 महावीर अमृत पाम ठाडे,महाराष्ट्र</p> <p>2.1) मैसर्स पशुपति एडवान्सड फिल्मस प्राईवेट लि० द्वारा/डायरेक्टर सत्यप्रकाश गुप्ता पुत्र हरी मोहन/नि० ए-401 महावीर अमृत पाम ठाडे,महाराष्ट्र</p>	<p>183मि(1146040183200212)</p>	<p>1.1) 2.1610</p> <p>2.1) 2.1610</p>



मोहन/नि0 ए-401
महावीर अमृत पाम
ठाडे,महाराष्ट्र (शेष
क्षेत्रफल : 0.0000)

9

(17)भूमि के सम्बन्ध में विचाराधीन राजस्व वाद/वादों की कम्प्यूटरीकृत संख्या :

(18)बंधक/बंधक-मुक्त होने की स्थिति
(18.1)बंधक होने की स्थिति (संस्था अथवा बैंक का नाम/कोड/बंधक का दिनांक/धनराशि/आवेदन संख्या/खातेदार(पिता-पति-संरक्षक)) :

(18.2)बंधक-मुक्त होने की स्थिति (संस्था अथवा बैंक का नाम/कोड/बंधक-मुक्त का दिनांक/धनराशि/आवेदन संख्या/खातेदार(पिता-पति-संरक्षक)) :

(19)अभ्युक्ति :

- 1) आदेशानुसार श्रीमान मैनेजर सिडिकेट बैंक शाखाठाकुरद्वारा दिनांक20.01.09 को खातासं0 68,70,73 पर भजनसिंह उर्फ हरभजन सिंह पुत्र सिंगारा नि0ग्राम ने मु0100000रु0का ऋण लेकर भूमि बंधक रखी है।ह0आर0के0 (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- 2) आदेशानुसार श्रीमान मैनेजर सिडिकेट बैंकशाखाठाकुरद्वारा दि0 17.11.11को खातासं0 73परभजनसिंह उर्फ हरभजन पुत्र सिंगारा सिंह नि0 ग्रामनेमु0150000रु0का ऋण लेकर भूमि बंधक रखी है।ह0आर0के0 (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- 3) आदेशानुसार श्रीमान प्रबन्ध निदेशक साधन सह0समितिलि0 शाखा नन्हूवाला दि0 9.6.14 को खातेदारदलवीरसिंह पुत्र सिंगारा सिंह नि0ग्राम ने मु0 227000रु0का ऋण लेने हेतु भूमि बंधक रखी है।ह0आर0के0 (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- 4) आदेशानुसार श्रीमान मैनेजर सिडिकेट बैंक शाखाठाकुरद्वारा दि017.1.12 को खातासं0 73परभजन सिंह पुत्र सिंगारा सिंह नि0 ग्राम ने मु0250000रु0काऋणऋण लेकर भूमि बंधक रखी है।ह0आर0के0 (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)
- 5) आदेशानुसार श्रीमान मैनेजर सिडिकेट बैंक शाखाठाकुरद्वारा से दि0 17.4.15 को भजन ंसिंह पुत्र सिगाडा ंसिंह नि0 ग्राम ने मु0 300000 रु0 का ऋण लेकर भूमि बंधक रखी है। ह0आर0क के0 (डिजिटल हस्ताक्षर : SATVEER SINGH/28-12-2019)

पूर्व आदेशों का विवरण

- 1) न्यायालय उपजिलाधिकारी ठाकुरद्वारा वादसं0 टी0 201713541505652/17 अन्तर्गत धारा 80 राजस्व संहिता 30प्र0 ग्राम मोहम्मदगंज पर0 व तह0 ठाकुरद्वारा मैसर्स पशुपति एडवान्सड फिल्मस लि0 यूनिट सं0 250 एस0/एफ0 ब्लॉक सं0 3 त्रिभुवन काम्पलेक्स ईश्वर नगर नई दिल्ली द्वारा डाईरेक्टर सत्यप्रकाश गुप्ता पुत्र हरिमोहन गुप्ता नि0 ए0 401 महावीर अमृत पाम बीच रोड निकट निसान कार शौरूम सेक्टर 19 नवी मुम्बई सनपदा ठाणे महाराष्ट्र बनाम ग्राम सभा में विवेचना के आधार पर आदेश हुआ कि तहसीलदार ठाकुरद्वारा की आख्या दि0 1.5.17 से सहमत होते हुए ग्राम मोहम्मदगंज पर0 व तह0 ठाकुरद्वारा में स्थित खातासं0 74 के गाटासं0 181 रकवा 0.700हे0 लगान 17.30पै0 व गाटासं0 183मि0 रकवा 2.161हे0 लगान 53.40पै0 व खातासं0 75 के गाटासं0 153 रकवा 1.210हे0 लगान 29.90पै0 कुल 3 किते कुल रकवा 4.071हे0 लगान 100.60पै0 में प्रार्थी मैसर्स पशुपति एडवान्सड फिल्मस लि0 यूनिट सं0 250 एस0/एफ0 ब्लॉक सं0 3 त्रिभुवन काम्पलेक्स ईश्वर नगर नई दिल्ली द्वारा डाईरेक्टर सत्यप्रकाश गुप्ता पुत्र हरिमोहन गुप्ता नि0 ए0 401 महावीर अमृत पाम बीच रोड निकट निसान कार शौरूम सेक्टर 19 नवी मुम्बई सनपदा ठाणे महाराष्ट्र की मौके पर औद्योगिक कार्य होने के कारण उक्त क्षेत्र को कृषि भूमि से अकृषिक भूमि घोषित किया जाता है।ह0आर0 के0 6.5.17
- 2) न्यायालय उपजिलाधिकारी ठाकुरद्वारा वादसं0 टी0 201713540503761/17/4/1/18 अन्तर्गत धारा 82 राजस्व संहिता 30प्र0 ग्राम मोहम्मदगंज पर0 व तह0 ठाकुरद्वारा मैसर्स पशुपति एडवान्सड फिल्मस लि0 मोहम्मदगंज द्वारा डायरेक्टर श्री सत्यप्रकाश गुप्ता पुत्र हरी मोहन नि0 ए-401, महावीर अमृत पाम बीच रोड निकट निसान कार शौरूम सेक्टर 19नवी मुम्बई सनपदा ठाडे,महाराष्ट्र में विवेचना के आधार पर तहसीलदार ठाकुरद्वारा की आख्या दि0 26.12.17 से सहमत होते हुए ग्राम मोहम्मदगंज में स्थित गाटासं0 181 रकवा 0.700हे0 मे से रकवा 0.060हे0 लगान 1.48पै0 व गाटासं0 153 रकवा 1.210हे0 से रकवा 0.082हे0 लगान 2.25पै0 पर मैसर्स पशुपति एडवान्सड फिल्मस लि0 मोहम्मदगंज द्वारा डायरेक्टर श्री सत्यप्रकाश गुप्ता पुत्र हरी मोहन नि0 ए-401, महावीर अमृत पाम बीच रोड निकट निसान कार शौरूम सेक्टर 19नवी मुम्बई सनपदा ठाडे,महाराष्ट्र की अकृषिक भूमि को कृषि भूमि घोषित किया जाता है।ह0आर0 के0 6.1.18

- 3) आदेशानुसार श्रीमान रा0 नि0 कार्यालय ठाकुरद्वारा द्वारा दि0 06/04/21 एवं उ0 प्र0 रा0 संहिता की धार 38(6) के अन्तर्गत रा0 नि0 ठाकुरद्वारा की आख्या के आधार पर ग्राम मौहम्मद गंज के खाता सं0 66 गाटा सं0 181 रकबा 0.7000 हे0 व गाटा सं0 183 मि0 रकबा 2.161 हे0 व खाता सं0 65 के गाटा सं0 153 रकबा 1.210 हे0 पर दर्ज नाम दलवीर सिंह, करनैल सिंह, भनज सिंह, वाज सिंह पुत्रगण सिगारा सिंह नि0 ग्राम का नाम पृथक करते हुए मैसर्स पशुपति एडवॉन्सड फिल्मस लि0 यूनिट सं0 250 एस/एफ ब्लाक सं0 3 त्रिभुवन कॉम्प्लेक्स ईश्वर नगर नई दिल्ली 110065 द्वारा डायरेक्टर श्री सत्यप्रकाश गुप्ता पुत्र हरी मोहन नि0 ए-401, महावीर अमृत पाम बीच रोड निकट निसान कार शोरूम सेक्टर 19 नवी मुम्बई सनपदा ठाडे, महाराष्ट्र 400705 का नाम दर्ज किया जाता है. ह0 आर0 के0 07/04/21
- 4) न्यायालय उपजिलाधिकारी ठाकुरद्वारा वाद सं0 टी 202213540502205/22 मैसर्स पशुपति एडवॉन्सड फिल्मस प्राइवेट लि0 द्वारा डा0 सत्यप्रकाश गुप्ता बनाम उ0 प्र0 सरकार अंतर्गत धारा 38(1) अधिनियम उ0 प्र0 राजस्व संहिता 2006 में अतः आदेश हुआ कि तहसीलदार ठाकुरद्वारा की आख्या दिनांक 18.05.2022 स्वीकार करते हुए, ग्राम मौहम्मद गंज स्थित गाटा सं0 181 रकबा 0.7000 हे0 व गाटा सं0 183 मि0 रकबा 2.1610 हे0 व गाटा सं0 153 रकबा 1.210 हे0 पर अंकित मैसर्स पशुपति एडवॉन्सड फिल्मस लि0 के स्थान पर मैसर्स पशुपति एडवॉन्सड फिल्मस प्राइवेट लि0 अंकित किया जाता है ह0 आर0 के0 14/06/22
- 5) कार्यालय जिलाधिकारी मुरादाबाद पत्र सं0 928/जि0 भू0 व्य0 सहा0/2022-23 दि0 28/10/22 के विषयक प्रमुख सचिव उ0 प्र0 शासन राजस्व अनुभाग 1 लखनऊ के पत्र सं0 575/एक -1-2022-रा0-1 दि0 18/08/22 के द्वारा उ0 प्र0 राजस्व संहिता 2006 (उ0 प्र0 अधिनियम सं0 8 सन 2012) की धारा 77 की उपधारा 2 सपठित धारा 101 की उपधारा 2 के परन्तुक में प्राप्त शक्ति का प्रयोग करके श्री राज्यपाल द्वारा ग्राम मोहम्मद गंज तह0 ठाकुरद्वारा जनपद मुरादाबाद स्थित ग्राम सभा के गाटा सं0 182 रकबा 0.060 हे0 व गाटा सं0 155 रकबा 0.024 हे0 एवं गाटा सं0 143 रकबा 0.045 हे0 अर्थात् कुल 3 गाटा रकबा 0.129 हे0 चकमार्ग के रूप में दर्ज भूमि का श्रेणी परिवर्तन करते हुए उसी ग्राम में स्थित सक्रमणीय भूमिधर में पशुपति एडवॉन्सड फिल्म लि0 नई दिल्ली के नाम दर्ज सक्रमणीय भूमि गाटा सं0 181 रकबा 0.060 हे0 व गाटा सं0 153 रकबा 0.069 हे0 अर्थात् कुल 2 गाटा कुल रकबा 0.129 हे0 से श्रेणी परिवर्तन/विनिमय की अनुमति शर्तों एवं प्रतिबन्धों के अधीन प्रदान की गई है ह0 आर0 के0 18/11/22

Data Digitally Signed by: ANIL KUMAR (RAGISTRAR KANOONGO)

दिनांक/समय/स्थान: 16-11-2023 12:24:29 तहसील : ठाकुरद्वारा

यह उद्घरण खतौनी इलेक्ट्रॉनिक डिजिटल सिस्टम द्वारा तैयार की गयी है तथा डाटा डिजिटल हस्ताक्षर द्वारा हस्ताक्षरित है।

मुद्रित कर्ता : ANIL KUMAR तहसील : ठाकुरद्वारा

मुद्रित दिनांक एवं समय: 16-11-2023 12:24:29

Not Applicable For Online Prints उपरोक्त उद्घरण खतौनी का वेरीफिकेशन

https://upbhulekh.gov.in Website पर जाकर अथवा QR Code Scan करके किया जा सकता है।





GROUND WATER DEPARTMENT
(Namami Gange & Rural Water Supply Department)
Ministry of Jal Shakti
Government of Uttar Pradesh

*Ethanol
ground water
Noc/Registration
for 10 hrs & 6 hr*

Form 8 (C)

[See Rule 8(1)]

**AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/
COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER**

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC040840

VALID FROM 12/05/2022 TO 11/05/2027

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202204000779

Name of the Owner	VINEET JAIN	Company Name कंपनी का नाम	Pasupati Acrylic Ltd. Ethanol Ur
Designation पद	Director - Operations	Authorization Letter प्राधिकार पत्र	Download
Company Address कंपनी का पता	Kashipur Road, Thakurdwara, Moradabad, UP-244601	Application No.	MRBD0422/11
Address of the Applicant	Kashipur Road, Thakurdwara, Distt Moradabad UP	Specimen Signature	
Date of Submission	29/04/2022	Block	THAKURDWA
Location Particulars		Municipality/Corporation No	No
District	Moradabad		NA
Plot No./Khasra No.	140, 142B		
Ward No./Holding No.			
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	30/04/2023	Depth of the Well (In meter)	190.00
Type of Well	Tube Well/Boring	Assembly Size(For Tube Well)	
Purpose of well	Industrial	H.P. of the Pump	40.00
Strainer Position (For Tube Well)		Rate of Withdrawal (m ³ /hr.)	100.00
Type of Pump Used	Submersible	30/04/2023	
Operational Device	Electric Motor	Maximum Allowable Running Hours Per Day:	10.00
Date of Energization (In Case of Electric Pump)		Recharge Required	172500.00
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	100.00		
Maximum Allowable Annual Extraction of Ground Water:	345000		

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 172500.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- All Users abstracting ground water in excess of 100 m³/d shall be required to submit impact assessment report prepared by an accredited consultant from CGWA and National Accreditation Board for Education and Training (NABET). The report should highlight environmental risks and proposed management strategies to overcome any significant environmental issues such as ground water level decline, land subsidence etc. within three months of completion of the same to Ground Water Department Uttar Pradesh. The list of accredited Individuals/ Institutions is available on the official web-portal of CGWA.
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No. of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard reference and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- (A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries / Laghu Udyog Bharati certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :24/03/2023

Place:Moradabad

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC022112

VALID FROM 12/05/2022 TO 11/05/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202204000754

Name of the Owner	VINEET JAIN	Company Name	Pasupati Acrylon Ltd.
Designation पद	Director - Operations	कंपनी का नाम	
Company Address कंपनी का पता	Kashipur Road, Thakurdwara, Moradabad, UP-244601	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	Kashipur Road, Thakurdwara, Distt Moradabad UP	Application Form Serial No.	MRBD0422NIN0135
Date of Submission	29/04/2022	Specimen Signature	
Location Particulars			
District	Moradabad	Block	THAKURDWARA
Plot No./Khasra No.	140, 142B	Municipality/Corporation	No
Ward No./Holding No.			NA
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	30/04/2023		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	190.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	40.00
Operational Device	Electric Motor	Rate of Withdrawal (m ³ /hr.)	100.00
Date of Energization (In Case of Electric Pump)		30/04/2023	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	100.00	Maximum Allowable Running Hours Per Day:	6.00

Maximum Allowable Annual Extraction of Ground Water: 207000

Recharge Required 103500.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 103500.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell / tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its

validation.

- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

• **SPECIFIC CONDITIONS:**

- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :08/09/2022

Place:Moradabad

This certificate is electronically generated and does not require digital signature



PASUPATI ACRYLON LIMITED (Ethanol Division)

FACTORY & REGD. OFFICE : KASHIPUR ROAD, THAKURDWARA, DISTT. MORADABAD- 244601 UP
(INDIA)



GSTIN No. : 09AAACP0348M1Z9

PAN No. : AAACP0348M

CINNo. L50102UP1982PLC0155

ERP Purchase Order No. EWC/0071/23-24

PURCHASE ORDER

Purchase Order DT 10/10/2023

To,

ENVIRO-PRO ENGINEERS
VILLAGE- BOWADWALA,TAHSEEL-
THAKURDWARA,DIST. MORADABAD, U.P.
(244601)
MORADABAD Uttar Pradesh-244601
Phone: +91 7906822656
Email: ENVIROPROENGINEERS@GMAIL.COM

Vendor Ref. No.

Vendor Ref. Date 10/10/2023

Contact Person

Email

Contact Person Mob.

Agent

Godown

STORE

GST No: 09BYIPC9715R1ZM

PAN No: BYIPC9715R

Sir/Madam,

We are pleased to confirm our order as per details given below. You are requested to supply the following items as per the terms and conditions here under and general instructions given overleaf.

SNo	Indent No	Item Code	Particulars	HSN Code	Unit	Quantity	Tolerance (%)	Rate/Unit (Rs)	Disc. (%)	Amount (Rs)	GST Rate
1	90 PD 06/10/23	CGEPS01	SEWAGE TREATMENT PLANT CAPACITY 20 KLPD INCLUDING ERRECTION AND COMMISSIONING		LOT	1.00		1,200,000.000		1,200,000.00	

P.O. No. & Description must be clearly mentioned in all the document.

Total :

1.00

1,200,000.00

Delivery Date : 28/11/2023

Delivery Remark

PACKING & FORWARDING

Freight Charges

Inclusiv

Inclusiv

Prices are : F.O.R.OUR WORKS

Billing : AT PASUPATI ACRYLON LTD, THAKURDWARA

Total GST Amount

Extra As Applicabl

Total PO Amount

1,200,000.0

Total Amount (in Words) Rs Twelve Lakh Only

Delivery : The goods should be de despatched positively within 49 Days from the date of this Purchase Order.

PAYMENT TERMS-

1- 10% ADVANCE ALONG WITH P.O. AFTER ORDER ACKNOWLEDGEMENT.

2- 80% AGAINST RECEIVING RUNNING ITEMS WITH IN 03 DAYS

3- 10% AFTER SUCCESSFUL ERECTION, COMMISSIONING AND PERFORMANCE GUARANTEE TEST AS PER ANNEXURE-1 PAGE 2 OF 4 POINT NO. C.

4- FOR MORE DETAILS PLEASE REFER

ANNEXURE- 1 (PAGE 1 TO 4)

Insurance : Transit insurance will be arranged by us. Therefore, immediately after despatch of goods, copies of your invoice and complete despatch particulars may please sent to us at the Head Office for arranging transit insurance. In the event of your failure to comply with this request, the goods in transit shall be entirely at your risk and responsibility.

We are sending this order in duplicate. Please return duplicate copy duly signed and stamped by you as a token of acceptance.

For PASUPATI ACRYLON LIMITED (Ethanol Division)

AJAY KUMAR

MANISH MEHROTRA

Prepared by

Verified By

Authorised Signatur



OUR GSTIN - 09AAACP0348M1Z9

PO Ref.: PAL/WORKS/23-24/

Date:12-05-2023

M/s MM ENVIRO PROJECTS PVT. LTD.

Aakansha Arcade, KDK College Road,

Nandanvan, Nagpur - 440009 (India)

GSTIN - 27AADCM8278L1ZS

Kind Attention: Mr. Rishabh Modi - Director

Sub: Purchase Order for Design, Supply, Erection and Commissioning of 1200 M3/Day of Condensate Polishing Unit along with Secondary ETP along with Ultra-Filtration & Reverse Osmosis System at our works M/s Pasupati Acrylon Limited at Kashipur Road Thakurdwara, Distt.- Moradabad (UP) - 244601.

Dear Sir,

This has reference to your offer dated 11th May 2023 followed by subsequent discussions at our site office on 12/05/2023. We are pleased to place an order for 1200 M3/Day of Condensate Polishing Unit.

Scope of work, Design Data and Performance projections, battery limits shall be as per attached technical offer as below

CPU: - OFFER No.20220822/R08 Dated 11th May 2023: -Negotiated Price Rs. 300 Lacs.

Price: - Price for the above referred assignments shall be Rs. 300 Lac (Rupees Three Hundred Lac Only) exclusive of civil works & GST as per attached Technical Annexure.

TERMS & CONDITIONS:

1. PAYMENT TERMS:

PASUPATI ACRYLON LTD.

CORPORATE OFFICE : M-14, CONNAUGHT CIRCUS (MIDDLE CIRCLE), NEW DELHI-110 001 (INDIA) PHONE: EPABX- 47627400
 E-MAIL : delhi@pasupatiacrylon.com VISIT OUR SITE : http://www.pasupatiacrylon.com
 REGD. OFFICE & WORKS : KASHIPUR ROAD, THAKURDWARA- 244 601, DISTT. MORADABAD (U.P.)
 E-MAIL : works@pasupatiacrylon.com • pasupati_tkd@rediffmail.com
 CIN : 30102UP1982PLC015532

1.	10 %	Advance after Order acknowledgement against Bank Guarantee
2.	20 %	Against submission of Design, Drawings & Engineering package for the Plant
3.	60 %	Against dispatch documents of Electro-Mechanical components based on approved billing break-up with 100% Taxes.
4.	10%	After successful Commissioning of the Plant after submission of Performance Bank Guarantee ("PBG") valid for one year.

2. DELIVERY:

The Electro-Mechanical Components shall be delivered in 1st week of November'2023.
 The Electro-Mechanical components shall be erected and fabricated within 6-8 weeks from handing over of all treatment units i.e., Completion of Civil Works in all respect by the client including Hydraulic Testing and provision of inserts as per our drawing.
 Plant shall be commissioned within 6-8 weeks after completion of erection works.

3. FREIGHT & INSURANCE:

The Equipment shall be delivered at our Project Site. Freight from Supplier's works up till the project Site including Transit-insurance shall be in the scope of the Supplier.



4. GUARANTEE / WARANTEE

The Equipment's supplied by you shall be warranted for 12 months from the date of commissioning & successful Trial.

Please acknowledge the receipt of this Purchase Order.

Thanking you,

For Pasupati Acrylon Limited


 (Authorised Signatory)


PASUPATI ACRYLON LIMITED (Ethanol Division)
 FACTORY & REGD. OFFICE : KASHIPUR ROAD, THAKURDWARA, DISTT. MORADABAD- 244601 UP (INDIA)
 GSTIN No. : 09AAACP0348M1Z9 PAN No. : AAACP0348M CINNo. : L50102UP1982PLC01553Z

ERP Purchase Order No. EWC/0021/23-24 **PURCHASE ORDER** Purchase Order DT 05/06/2023

To, **THERMAX LIMITED**
 T-1 MIDC, CHINCHOLI, MOHAL, SOLAPUR - 413255 (MAHARASHTRA)
 Solapur Maharashtra-413255
 Phone: 9711708011

Vendor Ref. No. .
 Vendor Ref. Date 05/06/2023
 Contact Person
 Email
 Contact Person Mob.
 Agent Godown STORE

GST No: 27AAACT3910D1ZS
 PAN No: AAACP3910D

Sir/Madam,
 We are pleased to confirm our order as per details given below. You are requested to supply the following items as per the terms and conditions here under and general instructions given overleaf.

SNo	Indent No	Item Code	Particulars	HSN Code	Unit	Quantity	Tolerance (%)	Rate/Unit (Rs)	Disc. (%)	Amount (Rs)	GST Rate
1	13 EE 30/05/23	CGEPE01	ELECTROSTATIC PRECIPITATORS (ESP) COMPLETE WITH FOLLOWING PARAMETER - INLET : TOTAL GAS FLOW - 72000 Am3/hr, GAS TEMP.- 140-150 DEGREE CENTIGRADE, INLET DUST LOAD- 31 gm/Nm3, OUTLET: OUTLET EMISSION SHOULD BE LESS THAN 30 MG/nM3, THERE SHOULD BE 5 FIELDS. THE ESP SHOULD BE ABLE PERFORM ON BIO FUELS LIKE- RICE HUSK, BAGASS & WOOD CHIPS. DETAILS AS PER ATTACHED ANNEXURE (PAGE NO. 1 & 2) & <i>Technical specifications</i>		NOS	1.00		20,000,000.000		20,000,000.00	
						Total :	1.00			20,000,000.00	

P.O. No. & Description must be clearly mentioned in all the document.

Delivery Date : 05/12/2023
 Delivery Remark :
 Payment Terms : 10% ADVANCE, 10% AGAINST SUBMISSION OF GA DRG., 10% AGAINST SUBMISSION OF LOAD DATA, 70% AGAINST P.I. AGAINST SUBMISSION OF 10% PBG. PBG VALID FOR 12 MONTH FROM THE DATE OF COMMISSIONING.
 Prices are : EX YOUR WORKS
 Billing : AT PASUPATI ACRYLON LTD, THAKURDWARA

PACKING & FORWARDING
 Freight Charges Extra As Appli
 Total GST Amount Extra As Appli
 Total PO Amount 20,000,00

Total Amount (in Words) Rs Two Crores Only
 Delivery : The goods should be de despatched positively within 6 Month from the date of this Purchase Order.

DELIVERY - 6 MONTHS
 SUPERVISION OF 40 MANDAYS INCLUDED IN MAXIMUM 5 VISITS
 TIC WITH RTD IN PLACE OF THERMOSTATE, INSULATION & CLADDING IN YOUR SCOPE, POWER CABLE UPTO 80 M ON ACTUAL BASIS IN SCOPE. *Warranty - 12 month from the date of Commissioning or 18 month from the date of*
 Insurance : Transit insurance will be arranged by us. Therefore, immediately after despatch of goods, copies of your invoice and complete despatch particulars may please send at the Head Office for arranging transit insurance. In the event of your failure to comply with this request, the goods in transit shall be entirely at your risk and responsibility.

We are sending this order in duplicate. Please return duplicate copy duly signed and stamped by you as a token of acceptance.
 For PASUPATI ACRYLON LIMITED (Ethanol Division)

UTTAM KUMAR *[Signature]* MANISH MEHROTRA *[Signature]*
 Prepared By Verified By Authorised



PASUPATI ACRYLON LIMITED (Ethanol Division)



FACTORY & REGD. OFFICE : KASHIPUR ROAD, THAKURDWARA, DISTT. MORADABAD- 244601 UP
(INDIA)

GSTIN No. : 09AAACP0348M1Z9

PAN No. : AAACP0348M

CINNo. L50102UP1982PLC015532

ERP Purchase Order No. EWC/0106/23-24

PURCHASE ORDER

Purchase Order DT 22/11/2023

To,
**KAIMIN PROJECTS & SERVICES PVT.
LTD.**
46-A,Office: No. 3, 2nd Floor, Above IDBI
Bank, SCO-18, Sector-16, Panchkula, Haryana-
134109.
Panchkula Haryana-134109
Phone: +91 9625275985
Email: kaiminproject@gmail.com

Vendor Ref. No
Vendor Ref. Date 22/11/2023
Contact Person
Email works@pasupatiacrylon.com
Contact Person Mob.
Agent
Godown STORE

GST No: 06AAJCK2438A1ZX

PAN No: AAJCK2438A

Sir/Madam,

We are pleased to confirm our order as per details given below. You are requested to supply the following items as per the terms and conditions here under and general instructions given overleaf.

SNo	Indent No	Item Code	Particulars	HSN Code	Unit	Quantity	Tolerance (%)	Rate/Unit (Rs)	Disc. (%)	Amount (Rs)	GST Rate
1	156 FS 15/11/23	CGEPF01	FIRE PROTECTION SYSTEM SECTION WISE:- 1. FIRE PUMPS & PUMP ROOM SECTION 2. FIRE HYDRANT & HOSE REEL SYSTEM 3. MEDIUM VELOCITY WATER SPARY SYSTEM 4. FOAM POURING AND YARD MONITOR SYSTEM INCLUDING DYKE WALL SAFETY SYSTEM 5. FIRE ALARM SYSTEM (ADDRESSABLE) 6. HAND APPLIANCES (FIRE EXTINGUISHER). INCLUDES FINAL NOC.		LOT	1.00		19,200,000.000		19,200,000.00	

P.O. No. & Description must be clearly mentioned in all the document.

Total :

1.00

19,200,000.00

Delivery Date : 12/02/2024

Delivery Remark :

Payment Terms : ANNEXURE-1 (PAGE 1-17 DATED) 17/11/2023

Prices are : FOR OUR WORKS THAKUDWARA -244601

Billing : AT PASUPATI ACRYLON LTD, THAKURDWARA

PACKING & FORWARDING
Freight Charges

Inclusive
Inclusive

Total GST Amount

Extra As Applicable

Total PO Amount

19,200,000.00

Total Amount (in Words) Rs One Crore Ninety Two Lakh Only

Delivery : The goods should be de despatched positively within 82 Days from the date of this Purchase Order.

TERMS & CONDITIONS:-

1- FOR MORE DETAILS PLEASE REFER ANNEXURE-1 (PAGE 1-17 DATED) 17/11/2023

Insurance : Transit insurance will be arranged by us. Therefore, immediately after despatch of goods, copies of your invoice and complete despatch particulars may please sent to us at the Head Office for arranging transit insurance. In the event of your failure to comply with this request, the goods in transit shall be entirely at your risk and responsibility.

We are sending this order in duplicate. Please return duplicate copy duly signed and stamped by you as a token of acceptance.

For PASUPATI ACRYLON LIMITED (Ethanol Division)

AJAY KUMAR

MANISH MEHROTRA

Prepared By

Verified By

Authorised Signatory

Details of CER with proposed activities and budgetary allocation for 150 KLD production of ethanol

S.No	Description	Value in INR (Cr)
1	a. Development of village roads b. Upgradation of drinking water facility by installation of RO and water Purifier in nearby village Bhuraghat, Mudapanda, Gautampur and Bhagabanpur	0.48
2	Installation of solar panels (15 nos.) in village Babarkhera, Shahganj and Faridnagar	0.46
3	Upgradation of Medical facility in nearby hospital such as Donating medical equipment like Beds, Stretcher, Portable Oxygen Cylinder (330 Litre), Oxygen Concentrator (0.5 to 5 Ltr), AC (Window AC of 1.5 Ton) in Govt Hospital, Thakurdwara.	0.38
4	Development of smart class, distribution of benches, Fans, Drinking water facility, Upgradation of sanitary facility (one for Male and one for female), Distribution of IT gadgets (students of Class 12), Printers, computers in schools present in nearby village i.e. Primary Government school, Baberkhera 2.1 Km (N), Primary School, Dhakiagulabo: 6.2 Km (E) and Primary school Kalewala: 6.45 km (SW)	0.35
	Total	1.67

Security guard checking for not carrying single ban plastic at the project site



Awareness about safety and ban on single use plastic at the project site.



Capital cost and recurring cost of EMP for 150 KLD production of ethanol are given below

S.no	Particulars	Capital Cost (In INR Cr)	Annual Recurring (Cost in INR Cr)
1	Air pollution control system ESP with stack ,Industrial vacuum cleaner, road sweeping machine etc.	3.25	0.425
2	Continuous Emission Monitoring System and Ambient Air Quality Monitoring System	0.425	0.150
3	Scrubbing system, compressing system , liquefying system and storage for CO ₂ removal	1.75	0.225
4	Treatment system for spent wash, DWGS centrifuge decanter, DDGS dryer for ZLD system, Construction of Garland drains, Water Reservoir	5.75	1.750
5	Condensate Polishing unit for water treatment and recycle, STP	2.25	0.525
6	Ash Handling and management	1.25	0.225
7	Fire Fighting Measures	0.775	0.175
8	In-house Solar Power Plant	1.750	0.125
9	Rainwater Harvesting Pit	0.325	0.075
10	Occupational Health Management	0.250	0.160
11	Noise Reduction Systems	0.425	0.075
12	Green Belt Development	0.425	0.175
13	Environment monitoring	0	0.040
14	Environment management cell	0.175	0.125
15	CER	1.67	0
	Total	20.47	4.25

PAL/TKD/ADM/23-0707

दिनांक:-10.04.2023

सेवा में,

श्रीमान् अधिशाषी अधिकारी
नगर पालिका परिषद, ठाकुरद्वारा
तहसील ठाकुरद्वारा, जिला-मुरादाबाद

महोदय,

आपको सूचित किया जाता है कि हमारी कंपनी पशुपति एक्रिलोन लि० ठाकुरद्वारा को नये प्रोजेक्ट ग्रेन बेस्ड डिस्टलरी (एथनॉल प्लान्ट) के लिए भारत सरकार के मन्त्रालय द्वारा एनवायरमेन्टल क्लियरेन्स (ई.सी.) प्रदान की गई है। ई.सी. की प्रति मन्त्रालय की वेबसाईट तथा राज्य प्रदूषण नियन्त्रण बोर्ड, लखनऊ ऑफिस में उपलब्ध है।

उपरोक्त ई.सी. की एक प्रति आपकी सूचना के लिए संलग्न है।

धन्यवाद



(एस.पी.गुप्ता)
डायरेक्टर(संचालन)

संलग्नक:- उपरोक्त

PAL/TKD/ADM/23-0709

दिनांक:-10.04.2023

सेवा में,


श्रीमान् ग्राम प्रधान
ग्राम पंचायत, फरीदनगर
तहसील ठाकुरद्वारा, जिला-मुरादाबाद

महोदय,

आपको सूचित किया जाता है कि हमारी कंपनी पशुपति एक्रिलोन लि० ठाकुरद्वारा को नये प्रोजेक्ट ग्रेन बेस्ड डिस्टलरी (एथनॉल प्लान्ट) के लिए भारत सरकार के मन्त्रालय द्वारा एनवायरमेन्टल क्लियरेन्स (ई.सी.) प्रदान की गई है। ई.सी. की प्रति मन्त्रालय की वेबसाईट तथा राज्य प्रदूषण नियन्त्रण बोर्ड, लखनऊ ऑफिस में उपलब्ध है।

उपरोक्त ई.सी. की एक प्रति आपकी सूचना के लिए संलग्न है।

धन्यवाद



(एस.पी.गुप्ता)
डायरेक्टर(संचालन)

संलग्नक:- उपरोक्त

PAL/TKD/ADM/23 - 6708

दिनांक:-10.04.2023

सेवा में,


श्रीमान् अपर मुख्य अधिकारी
जिला पंचायत, मुरादाबाद
जिला-मुरादाबाद(244001)

महोदय,

आपको सूचित किया जाता है कि हमारी कंपनी पशुपति एक्रिलोन लि० ठाकुरद्वारा को नये प्रोजेक्ट ग्रेन बेस्ड डिस्टलरी (एथनॉल प्लान्ट) के लिए भारत सरकार के मन्त्रालय द्वारा एनवायरमेन्टल क्लियरन्स (ई.सी.) प्रदान की गई है। ई.सी. की प्रति मन्त्रालय की वेबसाईट तथा राज्य प्रदूषण नियन्त्रण बोर्ड, लखनऊ ऑफिस में उपलब्ध है।

उपरोक्त ई.सी. की एक प्रति आपकी सूचना के लिए संलग्न है।

धन्यवाद



(एस.पी.गुप्ता)
डायरेक्टर(संचालन)

संलग्नक:- उपरोक्त

Regd.

PAL/TKD/ADMN/2023/0721.

Date:12.04.2023

The Regional Officer , Minisrty of Env.
Forest & Climate Change, Integrated Regional
Office, Kendriya Bhawan, 5th Floor, Sector "H"
Aliganj , Lucknow- 226020 (U.P.)

Subject :- Information of "Environmental Clearance" for our new Ethanol Plant in
Hindi Daily News Papers

Dear Sir,


We would like to inform you that we have been granted "Environmental Clearance"
by ministry of Environment, Forest and Climate Change , Govt. of India in respect of
our new Ethanol plant.

As per the general condition No. IX , the advertisement about issuing of
Environmental Clearance from Govt. of India has been published in the two Hindi
daily news papers. The copy of published information in news paper is enclosed
here with along with copy of "E.C." for your kind information & office record please.

Thanking you,

Yours' faithfully,

For PASUPATI ACRYLON LTD.


(S. P. Gupta)

Director (Operations)

CC:- The Regional Officer,
UP.Pollution Control Board,
1-A/INS-1, Avas Vikas Colony,
Budhi Vihar, Delhi Road,
Moradabad- 244001 (UP.)

Pasupati Acrylon Limited

✓ MR. Shafiq

From: Pasupati Acrylon Limited <works@pasupatiacrylon.com>
Sent: Tuesday, April 11, 2023 5:10 PM
To: 'rocz.lko-mef@nic.in'
Subject: EC Compliance
Attachments: EC Compliance.pdf; PASUPATI EC.pdf; Amrit Vichar.jpg; Hindustan.jpg

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Lucknow (UP)

For your information.

000

000

चौतरफा पुलिस की सुरक्षा का घेरा होगा। जिलाधिकारी शैलेंद्र कुमार सिंह ने महापौर के नामांकन स्थल पर पहुंच कर एसएसपी के साथ व्यवस्थाओं का जायजा लिया। महापौर पद के निर्वाचन अधिकारी अशोक कुमार सिंह ने उन्हें व्यवस्थाओं की जानकारी दी। एसडीएम सदर परमानंद सिंह और सीओ अर्पित कपूर ने भी व्यवस्थाएं मुकम्मल करवाईं। मुशावरा ग्राउंड में नगर निगम पार्श्व पद के नामांकन होंगे। यहां पिछले

गाए हैं। गेट से प्रत्याशियों को पहुंचने का रास्ता खोला गया है। गेट पर भी कड़ी सुरक्षा रहेगी। प्रत्याशी और प्रस्तावक ही अंदर जा सकेंगे। सदर तहसील में पाकबड़ा, अगवानपुर और भोजपुर नगर पंचायतों के नामांकन के लिए इंतजाम किए गए हैं। बिलारी तहसील में बिलारी नगर पालिका, कांठ और महमूदपुर माफ़ी के नामांकन होंगे। ठाकुरद्वारा तहसील

कलेक्ट्रेट में उन्होंने सभी निर्वाचन अधिकारियों से कहा कि कार्यक्रम के हिसाब से सभी रिटनिंग आफिसर अपने-अपने क्षेत्राधिकार में नोटिफिकेशन जारी करेंगे और कल से नामांकन प्रक्रिया शुरू हो जाएगी।

नगर पालिका और ढकिया नगर पंचायतों के नामांकन होंगे हैं। इसी तरह कांठ तहसील में कांठ और उमरी कला नगर पंचायत के नामांकन की तैयारी कर ली गई है। जिलाधिकारी शैलेंद्र

जनपद में 11 नगर निकाय हैं। चुनाव कार्यक्रम की घोषणा होते ही जनपद में आदर्श आचार संहिता प्रभावी हो गई है। चुनाव आयोग के निर्देशानुसार आदर्श आचार संहिता का शत प्रतिशत अनुपालन सुनिश्चित कराया जाएगा।

कुमार सिंह और हेमराज मीणा ने कहा कि सत्रह तारीख तक नामांकन चलेंगे। इस दौरान सुरक्षा व्यवस्था और कड़ी चौकसी के इंतजाम किए गए हैं। सभी तैयारियां पूरी कर ली गई हैं।

सूचना

पर्युपति एफिलोन लि. ठाकुरद्वारा को नये प्रोजेक्ट ग्रेन वेड्ड डिस्ट्रिब्यूटर्स (एथनल प्लान्ट) के लिए भारत सरकार के मन्त्रालय द्वारा एनवायरमेंटल क्लियरेंस (ई.सी.) प्रदान की गई है। ई.सी. की प्रति मन्त्रालय की वेबसाइट तथा राज्य प्रदूषण नियंत्रण बोर्ड, लखनऊ आफिस में उपलब्ध है। यह जानकारी कम्पनी के डायरेक्टर श्री एसपी गुप्ता ने दी।

दुर्घटना में घायल होमगार्ड की इलाज के दौरान मौत

बिलारी, संवाददाता। थानाक्षेत्र में दुर्घटना के दौरान घायल हुए होमगार्ड की इलाज के दौरान मौत हो गई। इस मामले में बेटे की ओर से दी गई तहरीर के आधार पर अज्ञात बाइक चालक के विरुद्ध मुकदमा दर्ज किया गया है। बिलारी के गांव भूड मरेशी के ईश्वरचंद्र ने तहरीर में बताया कि

होमगार्ड के पद पर तैनात उनके पिता योगेंद्र कुमार 28 नवंबर को ड्यूटी से घर बाइक से लौट रहे थे। वह भी अपने पिता के साथ बाइक पर मौजूद थे। हमजापुर मोड़ पर स्थलेडर प्लस बाइक सवार ने तेज गति से बाइक को टक्कर मार दी। जिससे उसके पिता गंभीर रूप से घायल हो गए।

108 एंबुलेंस से पहले पिता को सरकारी अस्पताल ले जाया गया। इसके बाद मुरादाबाद के निजी अस्पताल में भर्ती कराया। जहां बाती 9 अप्रैल को इलाज के दौरान उनकी मौत हो गई। पुलिस ने तहरीर के आधार पर अज्ञात बाइक चालक पर मुकदमा दर्ज कर लिया है।

21 YEARS OF ACADEMIC EXCELLENCE

ANNIVERSARY

YEAR

के लिए जाना जाता है। इस अजब इसकी समझ और विकास था, लेकिन एक इस्टेबल और के कारण की अथवा क्षेत्र के रूप में देखा जाता। कहां, 2014 से पहले, पूरे पूर्वोत्तर क्षेत्र पूर्वोत्तर अख अर्थशास्त्र नहीं; शाह ने तारीफ की थी।

मंदारम मंगलौर ने भी सेना के शौर्य की व अरुण साहस के साथ लड़े। 1965 के, संसधानों के अभाव के बावजूद के लिए जाना जाता है।

के लिए जाना जाता है। इस अजब इसकी समझ और विकास था, लेकिन एक इस्टेबल और के कारण की अथवा क्षेत्र के रूप में देखा जाता। कहां, 2014 से पहले, पूरे पूर्वोत्तर क्षेत्र पूर्वोत्तर अख अर्थशास्त्र नहीं; शाह ने तारीफ की थी।

मंदारम मंगलौर ने भी सेना के शौर्य की व अरुण साहस के साथ लड़े। 1965 के, संसधानों के अभाव के बावजूद के लिए जाना जाता है।

44

विकास यात्रा में सबसे आगे रखने नल से जल

आईपीएल मैच में 3 सट्टेबाजी का किया

संवाददाता, देहरादून

मृत विचार : राजधानी की रायपुर थाना पुलिस ने आईपीएल मैच में ऑनलाइन सट्टेबाजी का खुलासा करते हुए 3 मुख्य बुकी समेत 6 आरोपियों को गिरफ्तार किया है। आरोपियों ने सनराइजर हैदराबाद व पंजाब किंग्स पर सट्टा बुक किया था। मौके से इरशाद खान, सलीम, आसिफ, शोएब, वसीम व योगेश वर्मा निवासी रायपुर को गिरफ्तार किया गया। इनके पास से 9 मोबाइल फोन और करीब 25900 रुपये वरामद किए गए। आरोपियों के बैंकों के खातों में सट्टे के मिले 7.65 लाख रुपये फ्रीज किए गए हैं।

पुलिस के अनुसार, पूछताछ में आरोपियों ने बताया कि वे मोबाइल फोन के जरिये गो एक्सचेंज की

में गिरा वाहन, 3 बच्चों की जान गई

गदवाल। घर लौट रहे तीन बालकों के पिकअप वाहन चालक से लिफ्ट निलेवा साबित हुआ। पिकअप खाई में जा गिरी और तीनों बच्चों की गई। हालांकि चालक ने समय रहते वाहन से कूदकर जान बचा ली। री के अनुसार, जिले के प्रताप नगर के गांव पुजार निवासी गौरव (11)

तीन मुख्य गिरफ्तार ज्योतिका शर्मा (10), पुत्र धर्मानन्द और अखिलेश (14) पुत्र प्रकाश शर्मा क्रिकेट खेलकर गांव लौट रहे थे। इस दौरान वे गांव की तरफ पिकअप वाहन पर चढ़ गए। गांव पहुंचने से पहले ही वाहन अनियंत्रित 500 मीटर गहरी खाई में गिर गया। वाहन के परखचे उड़ गए जबकि पवार तीनों बच्चों की मौत हो गई।

साइट पर खिलवाते सलीम व पुर। अनियंत्रित कार ने बाइक को टक्कर मार दी। हादसे में सवार युवक की मौके पर ही मौत हो गई। आईटीआई थाना इन्होंने गांव गिनीखेड़ा निवासी राजू (36) पुत्र महेन्द्र सिंह काशीपुर एवं लिक मॉल में काम करता था। बीती देर रात करीब 11 बजे वह बाइक का जेरा रखा था। इस दौरान रास्ते में फसियापुरा के पास तेज रफ्तार थी। ये बुक त्रित कार ने बाइक को टक्कर मार दी। हादसे में बाइक सवार उर्फ मास्टर जी मौके पर ही मौत हो गई।

की चपेट में आने से बाइक सवार युवक की मौत

हयमंती के आश्वासन पर धरना प्रदर्शन समाप्त
प्लाइट शुरू। सर्किल रेट कम करने की मांग को लेकर पोने दो महीने बाद आग्ने पर बैठे अधिवक्ताओं ने शासन-प्रशासन के आश्वासन पर प्लाइट को धरना समाप्त कर दिया है। सोमवार को तहसील परिसर में बार आईपीएल एशान अध्यक्ष संजय चौधरी एवं सचिव प्रदीप चौहान के नेतृत्व में शैलेंद्र, पिपीने 2 माह से अधिवक्ता सर्किल रेट कम करने को लेकर चल के साथ हरना प्रदर्शन समाप्त हो गया है। की तलाश

अमृत विचार

www.amritvichar.com

अन्य सदस्य का कोई वास्ता नहीं है। यह अपन किसी भी कृत्य के लिए स्वयं उत्तरदायी होगा।

जोहरा बेगम पत्नी मौ0 अशफाक

निवासी मोहल्ला नवानपुरा

कदंबा व थाना टांडा जिला-राजपुर

संबंध विच्छेद

हमारा जेट भाई विनोद कुमार पुत्र स्व. श्री चौले ताब शर्मा मृत संगत में पर गया है। वह हमारे साथ दुर्घटना पर अगुआ फसाद करता रहता है। हम स्वयं से अपने भाई से छुड़ने के लिए संबंध विच्छेद करते हैं। इसके द्वारा किए गये कुकृत्यों का यह सब किन्हेदार होगा।

डालचन्द्र शर्मा एवं उपेन्द्र कुमार शर्मा पुत्रगण स्व. चौले लाल शर्मा निवासी गण गांव दाकी, तह. कान, जिला मुरादाबाद

सूचना

पद्मपति एंजिलोन लि. गुरुकुलरा को नये प्रोजेक्ट में वेस्ट डिस्टर्ल्स (एग्जॉल प्लांट) के लिए भारत सरकार के मन्त्रालय द्वारा एनवायरमेंटल क्लियरेंस (ईसी) प्रदान की गई है। ईसी की प्रति मन्त्रालय की वेबसाइट तथा राज्य प्रदूषण नियंत्रण बोर्ड, लखनऊ ऑफिस में उपलब्ध है।

एस. पी. गुप्ता डायरेक्टर

गुरुकुलरा को नये प्रोजेक्ट में वेस्ट डिस्टर्ल्स (एग्जॉल प्लांट) के लिए भारत सरकार के मन्त्रालय द्वारा एनवायरमेंटल क्लियरेंस (ईसी) प्रदान की गई है। ईसी की प्रति मन्त्रालय की वेबसाइट तथा राज्य प्रदूषण नियंत्रण बोर्ड, लखनऊ ऑफिस में उपलब्ध है। एस. पी. गुप्ता डायरेक्टर

45