PASUPATI ACRYLON LIMITED (TKD.)



FACTORY & REGD. OFFICE: KASHIPUR ROAD, THAKURDWARA, DISTT. MORADABAD- 244601 UP (INDIA) CORPORATE ENVIRONMENTAL RESPONSIBILITY

г			Ledger From 01/04/2025 To		Credit (Pa)	Balance
	Date	VR Type	Particulars	Debit (Rs)	Credit (Rs)	balance
	VR No.	Entry/Bill No				
	01/04/2025		Opening Balance			0.00
	30/04/2025	Journal-W	SALARY (BASIC)	42,750.00		42,750.00 Dr
	47		BEING AMOUNT DUE FOR THE MONTH OF APRIL-2025			
	06/05/2025	Journal-Auto	KRIPAL SINGH-FATEHULLA GANJ (JATWAN)-TKD	9,270.00		52,020.00 Dr
	39	52/3	BEING EXPENSES AS PER BILL/GR NO. 3 DT 01/05/2025 OF KRIPAL SINGH-FATEHULLA GANJ (JATWAN)-TKD ON A/C OF CORPORATE ENVIRONMENTAL RESPONSIBILITY, BILL NO. 3 DT 01/05/2025 (BEING AMOUNT AGST PLANTATION & MAINT OF GREEN BELT AREA UNDER CER DURING MONTH OF APRIL-2025)			
	31/05/2025	Journal-W	SALARY (BASIC)	44,855.00		96,875.00 Dr
	62		BEING AMOUNT DUE FOR THE MONTH OF MAY-2025		-9	
	06/06/2025	Journal-Auto	KRIPAL SINGH-FATEHULLA GANJ (JATWAN)-TKD	9,682.00		106,557.00 Dr
)	11	117/6	BEING EXPENSES AS PER BILL/GR NO. 6 DT 02/06/2025 OF KRIPAL SINGH-FATEHULLA GANJ (JATWAN)-TKD ON A/C OF CORPORATE ENVIRONMENTAL RESPONSIBILITY,, BILL NO. 6 DT 02/06/2025 (BEING AMOUNT AGST PLANTATION & MAINT OF GREEN BELT GREA UNDER C.E.R DURING MONTH OF MAY-2025, 23.5 DAYS.)			
	30/06/2025	Journal-W	SALARY (BASIC)	47,700.00		154,257.00 Dr
	57		BEING AMOUNT DUE FOR THE MONTH OF JUNE-2025			
	30/06/2025	Journal-W	C.LIB.PROV FOR EXPENSES	9,270.00		163,527.00 Dr
	63		BEING PROVISION MADE FOR THE MONTH OF JUNE 2025 1ST QTR.	7.6.4		
	05/07/2025	Journal-Auto	KRIPAL SINGH-FATEHULLA GANJ (JATWAN)-TKD	9,270.00		172,797.00 Dr
	31	219/9	BEING EXPENSES AS PER BILL/GR NO. 5 DT 01/07/2025 OF KRIPAL SINGH-FATEHULLA GANJ (JATWAN)-TKD ON A/C OF CORPORATE ENVIRONMENTAL RESPONSIBILITY,, BILL NO. 9 DT 01/07/2025 (BEING AMOUNT AGST PLANTATION & MAINT OF GREEN BELT AREA UNDER C.E.R DURING JUNE-2025)			
	29/07/2025	Journal-W	C.LIB.PROV FOR EXPENSES		9,270.00	163,527.00 Dr
)	54		BEING PROVISION REVERSE FOR JUNE 2025 01ST QTR.			
	31/07/2025	Journal-W	SALARY (BASIC)	58,081.00		221,608.00 Dr
	1	1				

BEING AMOUNT DUE FOR THE MONTH OF

PASUPATI ACRYLON LIMITED (TKD.)

ACTORY & REGD. OFFICE: KASHIPUR ROAD, THAKURDWARA, DISTT. MORADABAD- 244601 UP (INDIA)

CORPORATE ENVIRONMENTAL RESPONSIBILITY

Ledger From 01/04/2025 To 30/09/2025

Date	VR Type	Particulars	Debit (Rs)	Credit (Rs)	Balance
VR No.	Entry/Bill No				
30/09/2025	Journal-W	SALARY (BASIC)	59,350.00		347,398.00 Dr
46		BEING AMOUNT DUE FOR THE MONTH OF SEPT-2025			
		Closing Balance	356,668.00	9,270.00	347,398.00 Dr







(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

Amedure - 2



email: etslab2012@gmail.com | Website: www.etslab.in | Ph.: 9911516076, 8130255461

TEST REPORT

TEST REPORT NO.: ETS/1901-1/06/2025

DATE OFREPORT 16.06.2025

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer

: M/S, PASUPATI ACRYLON LIMITED

THAKURDWARA, DISTRICT- MORADABAD

Date of Monitoring : 12.06.2025 Analysis Start Date : 13.06.2025 Analysis End Date : 16.06.2025

 Duration Of Monitoring
 : 12.06.2025
 To 13.06.2025

 Fime Of Monitoring
 : 10.30 AM
 To 10.30 AM

Sample ID No : 1901-1
Sampling Done By : ETS STAFF
Sampling Location : NEAR TEMPLE
Sampling Method : ETS/STP/AIR-01

Sampling Machine Placed At Height : 1.5 METER FROM GROUND LEVEL

Weather Condition : CLEAR Ambient Temperature: 42.0 °C

Wind Direction : W To E

Equipment Used : Respirable Dust Sampler (PM₁₀) + Fine Particulate Sampler (PM_{2.5})

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM ₁₀)	μg/m³	68.4	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM _{2.5})	μg/m³	30.6	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO ₂)	μg/m³	16.2	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO ₂)	μg/m³	11.8	For 24 Hrs.=80	IS: 5182 (Part-6)

*****End of Test Report****



AUTHORIZED SIGNATORY

For Enviro Tech S

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

(Quality Manager)

Note:-

- 1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
- 2. The results indicated only refer to the tested samples and listed applicable parameters.
- 3. No complaint will be entertained if received after 7 days of issue of test report.
- 4. Our liability is limited to invoice value only.
- 5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- 6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.







(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email: etslab2012@gmail.com | Website: www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1901-2/06/2025

DATE OF REPORT:

16.06.2025

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer

: M/S, PASUPATI ACRYLON LIMITED

THAKURDWARA, DISTRICT- MORADABAD

Date of Monitoring

12.06.2025

Analysis Start Date

13.06.2025

Analysis End Date

16.06.2025

Duration Of Monitoring

12.06.2025 To

13.06.2025

Time Of Monitoring

10.45 AM To

10.45 AM

Sample ID No

1901-2

Sampling Done By

: ETS STAFF

Sampling Location

NEAR MATERIAL GATE

Sampling Method

ETS/STP/AIR-01

Sampling Machine Placed At Height Weather Condition

1.5 METER FROM GROUND LEVEL

Ambient Temperature:

42.0 °C

Wind Direction

CLEAR W To E

Equipment Used

: Respirable Dust Sampler (PM₁₀) +

Fine Particulate Sampler (PM_{2.5})

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM ₁₀)	μg/m³	88.6	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM _{2.5})	μg/m³	48.4	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO ₂)	μg/m³	36.2	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO ₂)	μg/m³	16.8	For 24 Hrs.=80	IS: 5182 (Part-6)

*****End of Test Report****



For Enviro Tech Services Pvz. Ltd.

AUTHORIZED SIGNATOR

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

(Quality Manager)

Note:

- $1. \ Test \ reports \ without \ ETS \ LAB \ HOLOGRAM \ are \ not \ is sued \ by \ our \ laboratory.$
- ${\bf 2. \ The \ results \ indicated \ only \ refer \ to \ the \ tested \ samples \ and \ listed \ applicable \ parameters.}$
- 3. No complaint will be entertained if received after 7 days of issue of test report.
- 4. Our liability is limited to invoice value only.
- 5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- 6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.







(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email: etslab2012@gmail.com | Website: www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1901-3/06/2025

DATE OF REPORT: 16.06.2025

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer

: M/S, PASUPATI ACRYLON LIMITED

THAKURDWARA, DISTRICT- MORADABAD

Date of Monitoring

12.06.2025

Analysis Start Date

13.06.2025

Analysis End Date **Duration Of Monitoring** 16.06.2025 12.06.2025 To

13.06.2025

Time Of Monitoring

11.00 AM

To

11.15 AM

Sample ID No

1901-3

ETS STAFF

Sampling Done By Sampling Location

NEAR CATALYST AREA

Sampling Method

ETS/STP/AIR-01

Sampling Machine Placed At Height Weather Condition

CLEAR

Ambient Temperature:

42.0 °C

Wind Direction

W To E

Equipment Used

Respirable Dust Sampler (PM₁₀) +

1.5 METER FROM GROUND LEVEL

Fine Particulate Sampler (PM_{2.5})

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM ₁₀)	μg/m³	76.4	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM _{2.5})	μg/m³	32.6	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO ₂)	μg/m³	26.8	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO ₂)	μg/m³	18.6	For 24 Hrs.=80	IS: 5182 (Part-6)

*****End of Test Report***



AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019 Quality Manager

- 1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
- 2. The results indicated only refer to the tested samples and listed applicable parameters.
- 3. No complaint will be entertained if received after 7 days of issue of test report.
- 4. Our liability is limited to invoice value only.
- 5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- 6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.







(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email: etslab2012@gmail.com | Website: www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1901-4/06/2025

DATE OF REPORT: 16.06.2025

STACK EMISSION MONITORING AND ANALYSIS REPORT

Name And Address of Customer

: M/S, PASUPATI ACRYLON LIMITED

THAKURDWARA, DISTRICT- MORADABAD

Date Of Sampling : 12.06.2025
Analysis Start Date : 13.06.2025
Analysis End Date : 16.06.2025
Duration Of Sampling : 30 MIN

Sample ID No. : 1901-4 Sampling Done By : ETS STAFF

Sampling Done By : ETS/STAFF
Sampling Method : ETS/STP/ STACK-01

Stack Attached To : BOILER
Capacity Of Stack : 50.0 TPH
Quantity Of Fuel Used : 200.0 TPD
Type Of Fuel Used : COAL
Stack Height Above Ground : 60.0 MTR.

Stack Height Above Ground : 60.0 MTR.

Stack Dia At The Top : 3055.0 MM

Material Of Construction : R.C.C.

Attached APCS : ESP

Normal Operating Schedule : NORMAL

Normal Operating Schedule : NORMA Ambient Temperature : 42.0°C Flue Gas Temperature : 126.0°C

Velocity Of Flue Gases : 10.3 MTR./SEC.

Quantity Of Emission Discharged : 202021.3 (m³/hr)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method	
1	Particulate Matters,(PM)	mg/Nm ³	48.4	150	IS-11255 (Part-1)	
2	Sulphur Dioxide,(SO ₂)	mg/Nm ³	124.8	600	IS-11255 (Part-2)	
3	Oxide of Nitrogen, (NOX as NO ₂)	mg/Nm ³	18.6	300	IS-11255 (Part-7)	
4	Carbon Monoxide,(CO)	%v/v	0.44	. 1	IS: 13270	

*****End of Test Report****



AUTHORIZED SIGNATORY

201 04 2019 Md Humrai

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

(Quality Manager)

Note:

- 1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
- 2. The results indicated only refer to the tested samples and listed applicable parameters.
- 3. No complaint will be entertained if received after 7 days of issue of test report.
- 4. Our liability is limited to invoice value only.
- 5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- 6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.







(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email: etslab2012@gmail.com | Website: www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.:

ETS/1901-5/06/2025

DATE OF REPORT:

16.06.2025

WASTE WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer

: M/S, PASUPATI ACRYLON LIMITED

THAKURDWARA, DISTRICT- MORADABAD.

Date of Sampling

13.06.2025 13.06.2025

Analysis Start Date Analysis End Date

16.06.2025

Sample ID No

1901-5

Sampling Done By

ETS STAFF

Sampling Description

AFTER TREATMENT

ETS/STP/WATER-02

Sampling Location

E.T.P.- OUTLET

Sampling Method Sample Quantity

2.0 Ltr.

Packing Condition

SEALED

Packed In

P.V.C. CANE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)		Test Method
				Inland Surface Water	Public Sewers	
1	pH		7.42	5.5 - 9.0	5.5 - 9.0	APHA 4500-H+
2	Conductivity	µs/cm	2012.6	Not Specified	Not Specified	APHA 2510-B
3	Colour	Hazen	<10.0			APHA 2120-B
4	Total Dissolved Solids,(TDS)	mg/L	1336.0	Not Specified	Not Specified	APHA 2540-C
5	Total Suspended Solids,(TSS)	mg/L	22.8	100	600	APHA 2540-D
6	Chemical Oxygen Demand,(COD)	mg/L	104.6	250	Not Specified	APHA 5220-B
7	Biochemical Oxygen Demand(BOD _{3d} 27 ⁰ C)	mg/L	17.8	30	350	IS: 3025 (Part-44)
8	Oil & Grease, (O & G)	mg/L	<5	10	20	APHA 5520-D

**End of Test Report*



For Enviro Tech Services Pvt.

AUTHORIZED SIGNATOR

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019 ager)

- 1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
- 2. The results indicated only refer to the tested samples and listed applicable parameters.
- 3. No complaint will be entertained if received after 7 days of issue of test report.
- 4. Our liability is limited to invoice value only.
- 5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- 6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.







(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email: etslab2012@gmail.com | Website: www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.

ETS/1901-6/06/2025

DATE OF REPORT:

16.06.2025

WASTE WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer

: M/S, PASUPATI ACRYLON LIMITED

THAKURDWARA, DISTRICT- MORADABAD.

Date of Sampling

Analysis Start Date

Analysis End Date Sample ID No

Sampling Done By

Sampling Description

Sampling Location

Sampling Method

Sample Quantity **Packing Condition**

Packed In

13.06.2025

13.06.2025

16.06.2025

1901-6

ETS STAFF

BEFORE TREATMENT

E.T.P.- INLET

ETS/STP/WATER-02

2.0 Ltr.

SEALED

P.V.C. CANE

S. No.	Test Parameter	Unit	Result	Test Method
1	рН	N	6.12	APHA 4500-H+
2	Conductivity	μs/cm	2194.8	APHA 2510-B
3	Colour	Hazen	22.2	APHA 2120-B
4	Total Dissolved Solids,(TDS)	mg/L	1642.4	APHA 2540-C
5	Total Suspended Solids,(TSS)	mg/L	118.6	APHA 2540-D
6	Chemical Oxygen Demand,(COD)	mg/L	1368.2	APHA 5220-B
7	Biochemical Oxygen Demand(BOD _{3d} 27 ⁰ C)	mg/L	452.4	IS: 3025 (Part-44)
Q	Oil & Grease, (O & G)	mg/L	16.8	APHA 5520-D

*****End of Test Report****



Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

For Enviro Tech S AUTHORIZED SIGNATORY Md Humrai

(Quality Manager)

- 1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
- 2. The results indicated only refer to the tested samples and listed applicable parameters.
- 3. No complaint will be entertained if received after 7 days of issue of test report.
- 4. Our liability is limited to invoice value only.
- 5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- 6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.







(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email: etslab2012@gmail.com | Website: www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO .:

ETS/1901-7/06/2025

DATE OF REPORT: 16.06.2025

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer

: M/S, PASUPATI ACRYLON LIMITED

THAKURDWARA, DISTRICT- MORADABAD.

Date of Sampling

13.06.2025

Analysis Start Date

13.06.2025

Analysis End Date

16.06.2025

Sample ID No

1901-7

Sampling Done By

ETS STAFF

GROUND WATER

Sampling Description

BOREWELL WATER

Sampling Location

ETS/STP/WATER-02

Sampling Method Sample Quantity

2.0 + 0.5Ltr.

Packing Condition

SEALED

Packed In

P.V.C. AND GLASS BOTTLE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per IS:10500: 2012)		Test Method
NO.				Desirable	Permissible	
PHYSI	CAL & CHEMICAL PARAMETERS;					
1	pH		7.22	6.5 - 8.5	No Relaxation	APHA 4500-H+
2	Colour	Hazen	<1.0	5	15	APHA 2120-B
			Agreeable	Agreeable	Agreeable	APHA 2150-B
3	Odour		Agreeable	Agreeable	Agreeable	APHA 2160-C
4	Taste	 ma/l	280	500	2000	APHA 2540-C
	Total Dissolved Solids,(TDS)	mg/L	<2.0	Not Specified	Not Specified	APHA 2540-D
6	Total Suspended Solids,(TSS)	mg/L			Not Specified	APHA 5220-C
7	Chemical Oxygen Demand,(COD)	mg/L	<5.0	Not Specified		
8	Biochemical Oxygen Demand(BOD _{3d} 27 ⁰ C)	mg/L	<2.0	Not Specified	Not Specified	IS 3025 (Part-44)
HEAV	Y METALS;-					
9	Mercury,(Hg)	mg/L	<0.01	0.001	No Relaxation	APHA-3114C
	Chromium,(Cr ⁺⁶)	mg/L	<0.05	Not Specified	Not Specified	APHA 3500:(Cr)-l
10		mg/L	<0.01	0.01	0.05	APHA 3120B
11	Arsenic,(As)		<0.01	0.01	No Relaxation	APHA-3120B
12	Lead.(Pb)	mg/L	-0.01	2.0.		TO SECURE

*****End of Test Report****

JOYITA

For Enviro Tech Sa

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

(Quality Manager)

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.

2. The results indicated only refer to the tested samples and listed applicable parameters.

3. No complaint will be entertained if received after 7 days of issue of test report.

4. Our liability is limited to invoice value only.

5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.

6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.







(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email: etslab2012@gmail.com | Website: www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO .:

ETS/1901-8/06/2025

DATE OF REPORT: 16.06.2025

NOISE MONITORING REPORT

Name And Address of Customer

: M/S, PASUPATI ACRYLON LIMITED

THAKURDWARA, DISTRICT- MORADABAD

Date of Monitoring Monitoring Start Date 12.06.2025

Monitoring End Date

12.06.2025

ration Of Monitoring

12.06.2025

8 HOURS

Sample ID No

1901-8

ETS STAFF

Monitoring Done By Sampling Location

NEAR TURBINE, BOILER AND COMPRESSOR

Sampling Method

ETS/STP/NOISE-01

Category Of Area

INDUSTRIAL AREA

S. No.	Test Parameter	Result	Specification/Limit (As per Factories Act)
1	Average, dB(A)	72.4	90
2	Maximum, dB(A)	80.6	1 6
3	Minimum, dB(A)	50.4	
4	Leg dB(A)	70.2	

Remark: Day time as per factory shift time.

*****End of Test Report****



For Enviro Tech Services Pvt. Ltd.

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

(Quality Manager)

- 1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
- 2. The results indicated only refer to the tested samples and listed applicable parameters.
- 3. No complaint will be entertained if received after 7 days of issue of test report.
- 4. Our liability is limited to invoice value only.
- 5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
- 6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

A. Specific Conditions:

SI. No.	Conditions	Compliance status
(i)	The company shall immediately switch to usage of gas as fuel completely as and when available in the area, till then PP should work upon reducing coal usage by 10% every year so that it is replaced by bio-briquettes gradually.	Noted, it will be complied as soon as gas is available in the area.
(ii)	The company shall comply with all the environmental protection measures and safe guards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	We have already complied.
(iii)	Consent To Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.	Complied.
(iv)	Total fresh water requirement shall not exceed 1249 KLD proposed to be met from ground water. Prior permission in this regard shall be obtained from the concerned regulatory authority. The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.	Noted and complied.
(v)	Necessary authorization required under the Hazardous and other waste (Management and Trans-boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	Complied
(vi)	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and / or the NAAGS. The gaseous emissions shall be dispersed through the stack of adequate height as per CPCS/SPCS guidelines.	Complied
(vii)	Solvent management if any, shall be carried out as follows: a). Reactor shall be connected to chilled brine condenser system.	Already complied . Complied.

	 b). Reactor and solvent handling pump shall have mechanical seal to prevent leakages. c). The condensers shall be provided with sufficient HTA and Residence time so as to achieve more than 98% recovery. d). Solvents shall be stored in a separate spaces specified with all safety measures. 	Complied Complied.
	e). Proper earthing shall be provided in all electrical equipment wherever solvent handling is done.	Complied.
	f). Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.	Complied.
(viii)	Rain water shall be collected and stored in tanks and utilized in plant activities to reduce ground water usage instead of recharging. The storm water from premises shall be collected and discharged through a separate conveyance system.	Complied.
(ix)	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farms and solvent transfer through pumps. The company shall strictly comply with the rules and guidelines under manufacture, storage and Import of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Already complied.
(x)	Process organic residue and spent carbon, if any, shall be sent to Cement Industries.	Complied. Ash generated from the Boiler is given to the contractor who sends the same to the Cement Industries for making cement. The process organic residue generated in small quantity from the bottom of distiller in 650 area is diluted with hot water and send to ETP for treatment.
(xi)	ETP sludge, process in organic and evaporation salt shall be disposed off to TSDF.	Complied.The ETP sludge is lifted by m/s resustainability ltd, Kanpur for safe disposal. The generation of process inorganic and evaporation salt is not applicable.
(xii)	The company shall undertake waste minimization measures as below :- a). Metering and control of active ingredients to minimize waste.	Already being followed.

	b). Reuse of by-product from the process as raw materials or as raw material	Not applicable as no by-product is generated from the process.
	substitutes in other processes.	
	c). Use of Automated filling to minimize spillage.	Filling / Transfer of chemical is carried out by the pump through close loop to prevent spillage.
	d). Use of close feed system into batch reactors.	Being followed.
	e). Venting equipment through vapour recovery system.	Being followed.
	f). Use of high pressure hoses for equipment cleaning to reduce waste	complied.
	water generation.	
(xiii)	The green belt at-least 5-10 M width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in down ward wind direction and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with state forest department.	Already complied.
(xiv)	As per the Ministry's OM dated 30.09.2020 superseding the OM dated 01.05.2018 regarding the corporate Environmental Responsibility and as per the action plan proposed by the project proponent to address the socioeconomic and environmental issues in	We have proposed to invest an amount of Rs. 20 lacs in five years under Corporate Environment Responsibility. The break-up is given below: Skill Development: Training to poor & unskilled person of nearby area:
	the study area, the project proponent, as committed, shall provide education funds in technical training centres / support in nearby village's school, support in health care facilities, drinking water supply and funds for miscellaneous activities like solar street	1st year - Rs. 4,00,000/- 2nd year - Rs. 4,00,000/- 3rd year - Rs. 4,00,000/- 4th year - Rs. 3,00,000/- 5th year - Rs. 2,00,000/-
	lights, battery, solar panel etc, in the	Green Belt Development :
	nearby villages. The action plan shall to	1 st year - Rs. 80,000/-
	be completed within time as proposed.	2 nd year - Rs. 70,000/-
		3 rd year - Rs. 50,000/- 4 th year - Rs. 50,000/-
		4" year
		Complied.We have spent Rs.33.94464 lacs
		under CER for the period from financial year
		2020-21 till 30 th September 2025 against the stipulated amount of Rs.20 Lacs in 5 years .The
		year wise expenses is given below.
		Year(2021-22):6-7-21 To 30-9-21: Rs. 184680.
		1-10-21To 31-3-22:Rs. 348596
		Year(2022-23):1-4-22 To 30-9-22: Rs. 469617
		1-10-22 To 31-3- 23 Rs.450111 Year(2023-24):1-4-23 To 30-9-23 Rs. 366165
		1-10-23 To 31-3-24 Rs. 414702
		Year(2024-25):1-4-24 To 30-9-24 Rs.421787
		1-10-24 To 31-3-25 Rs.382138
		Year(2025-26) 1-4 -25 To 30-9-25 Rs.356668

		TOTAL: Rs.3394464. The bill of the expenses till 31-3-25 has already been sent to you with 06 monthly compliance report up to 31-3-25. The bill showing expenditure for the period from 1-4-25 to 30-9-25 is attached as annexure-1.
(xv)	For DG sets, emission limits and stack height shall be in conformity with the extant regulations and CPCB guidelines Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Complied.
(xvi)	The unit shall make the arrangement for protection of possible fire hazard during manufacturing process in material handling. Fire fighting system shall be as per the norms.	Complied.
(xvii)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Already being complied.
(xviii)	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Already complied.
(xix)	Continuous on-line (24 x 7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration and data to be transmitted to the CPCB and SPCB Server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel / drain carrying effluent within the premises.	Complied.
(xx)	The energy sources for lighting purposes shall preferably be LED based.	Complied.
(xxi)	The transportation of raw materials / products should be carefully performed using GPS enabled vehicles.	Complied.

B. General condition:

Sr.	Condition	Compliance
(i)	No further expansion or modification in the plant other than mentioned in EIA notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and climate change/SEIAA as applicable. In case of deviations or alternation in project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the ministry/SEIAA, as applicable to assess the adequacy of conditions imposed and to add additional protection measures required, if any.	Noted.
(ii)	The energy source for lighting purpose shall be preferably LED based or advanced having preference in energy conservation and environment betterment.	Complied.
(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measure including acoustic hood, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA(day time) and 70 dBA (night time).	Complied.
(iv)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-development measures including welfare measures in the project area for overall improvement of the environment.	Complied.

The shall company earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the ministry of environment, forest and climate change as well as the state government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

Stipulated recurring cost/annum (Rs in lacs) for environment management.

Operation & Maintn. of - 123.38 ESP & gas treatment

Plant & ETP

Health check up 0.40 Air/Water quality 1.00

Monitoring by NABL

Approved lab

Environment statement 0.50

Report

Waste management 0.96 DMF checking by 0.20

Dragger tube

Plantation & misce-1.95

llaneous

128.39 Lac

An amount of Rs. 62.42 lacs has been spent in six months for the period from April, 2025 to September, 2025 under recurring cost for environment management / pollution control measures against above stipulated amount of rupees 128.39 lacs per year. The further expenditure to be incurred in next six month will be submitted with next compliance report.

(Vi)

(v)

A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, urban local body and local NGO, if from whom any, suggestions/representations, if received any, were while processing the proposal.

Already complied.

(vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copy as well as by email to the regional office of the MOEF & CC, the respective zonal office of CPCB and SPCB. A copy of environmental clearance and six monthly compliance status report shall be posted on the website of the company.	Being Complied. Monitoring data for the period from April-2025 to june-2025 is attached as annexure -2
(viii)	The environmental statement for each financial year ending 31 st March in form-V as is mandated shall be submitted to the concerned state pollution control board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently shall also be put on the web site of the company along with the status of compliance of the environmental conditions and shall also be sent to the respective regional offices of the MOEF & CC by email.	Being complied regularly.

(ix) The project proponent shall inform Already complied. the public that the project has been accorded environmental clearance by the ministry and copy of the clearance letter are available with SPCB/Committee and may also be seen at web site of the ministry at https:parivesh.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned regional office of the ministry. The project authorities shall inform the regional office as well as the (x) Complied. ministry, the date of financial Date of financial closure : 31st march closure and final approval of the project bγ the concerned Final approval of project: Received CTE from authorities and date of start of UPPCB, Lucknow vide letter no.135155 dated 15-12project. 2021 and CTO vide letter no.164123 dated 6-10-2022 for enhancement of Our Acrylic Fibre Production from 130 MTper day to 200 MTper day. The current CTO issued to us is valid upto 31-12-2026. This environmental clearance is granted subject to final outcome of (xi) Noted. the Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other court of law, if any, as may be applicable to this project.

21.	The ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	Noted.
22.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
23.	Any appeal against this environmental clearance shall be with the National Green Tribunal, if preferred within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted.
24.	The above conditions will be enforced inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management), Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	Noted.
25.	This issues with the approval of the competent authority.	Noted.